

xetto[®]

Combining transport trolley, forklift and lift table in one



Transport, load and lift

- > Easy transportation of heavy loads
- > Effortless loading
- > Ergonomic lifting



One-person loading

xetto® allows an individual to load heavy goods into a van on their own – without even breaking a sweat. This is all thanks to the combined forces of micro-hydraulics and kinematics.

Simply raise the xetto® loading platform above the height of the van's loading edge and then slide the platform forwards into the vehicle. xetto® "climbs" in after the platform and is then stored underneath the loaded goods.

Securing loads

Airline-style track rails are located on the sides of the platform for the attachment of lashing straps with double stud fittings.

Use as a mobile work table

xetto® lifts heavy goods or work material to a height of over a metre when fully extended. Ergonomic and mobile!

	xetto®
A x B x C, length x width x height (mm)	1,369 x 826 x 973
D x E, loading area (mm)	1,175 x 800
Loading edge height (mm)	max. 800
Max. loading capacity (kg)	max. 250
Lifting time (sec.)	approx. 20
Weight (kg)	approx. 95
Drive unit	14.4V / 6 Ah lithium-ion battery
	Hydraulic, electronic

Combining transport trolley, forklift and lift table in one

Accessories:



Entry ramp

An aluminium entry ramp for loading equipment on castors. It can be attached to both the front and sides using the airline-style track rails.

230V charger

For charging the xetto® battery using a mains socket.



Airline-style lashing strap

Automatic lashing strap for securing the load easily and safely.



Car charger

For a 12V in-car charger connection.



Airline-style lashing strap with hook

Automatic lashing strap for securing xetto® easily and safely in the vehicle.



Additional battery

Additional original xetto® battery. 14.4V / 6 Ah.



Airline-style cord netting

Prevents small objects from slipping and/or falling out of containers. Dimensions 1,000 x 1,400 mm



Edge protection


Prevents the edges of transported goods from being damaged.



Airline-style tarpaulin

Protects the load from dirt and moisture. Dimensions 1,000 x 1,400 mm





Wanzl worldwide

- Head office
- Subsidiaries
- Partners



GERMANY

Wanzl Metallwarenfabrik GmbH
Rudolf-Wanzl-Straße 4
89340 Leipheim

Phone +49 (0) 82 21 / 7 29-0
Fax +49 (0) 82 21 / 7 29-1000

info@wanzl.de
www.wanzl.com

GREAT BRITAIN

Wanzl Ltd.
Europa House
Heathcote Lane
Warwick CV34 6SP

Phone +44 (0) 1926 / 45 1951
Fax +44 (0) 1926 / 45 1952

enquiries@wanzl.co.uk
www.wanzl.com

AUSTRALIA

Wanzl Australia Pty. Ltd.
97 Highbury Road
BURWOOD VIC 3125

Phone +61 (0) 3 / 98 08 22 99
Fax +61 (0) 3 / 98 08 22 66

info@wanzl.com.au
www.wanzl.com