

Sales equipment

Successful sales



wanzl

INNOVATION
MADE BY WANZL

CREATIVE CENTER
wanzl

Contents

A SUCCESS STORY	5
QUALITY_MADE BY WANZL	7
SERVICE	9
OVERVIEW	10

01 TABLES	12	03 BASKETS	56
P system offered items tables		Stacking baskets	
⁰¹ PS 12/8	14	⁰¹ STP	58
⁰² P 12/8	16	Shelf insert baskets	
⁰³ Table top attachments TA9	18	⁰² Shelf insert baskets	60
⁰⁴ Wire attachments	20	Hang-in basket system	
Design 99 offered items tables		⁰³ L/S series hang-in basket systems.....	62
⁰⁵ Design 99	22	04 PALLET SYSTEMS	64
Presentation systems		Pallet boxes	
⁰⁶ YourTable	24	⁰¹ PA-X	66
Promotion tables/baskets		Pallet bars	
⁰⁷ Promotion tables	26	⁰² Pallet bar type 1/type 2	68
⁰⁸ Filling attachment	28	05 DISPOSAL	70
⁰⁹ Bargain baskets/Quick Sell	30	Disposal stations	
¹⁰ GVK sales baskets	32	⁰¹ Service centre	72
¹¹ Basket presentation stands	34	⁰² Service table	73
02 SHELVES AND DISPLAYS	36	Disposal container	
⁰¹ wire tech 100	38	⁰³ Box container	74
Fresh produce display units		⁰⁴ Waste trolley	76
⁰² BakeOff 3.0	40	⁰⁵ Disposal container	77
⁰³ BakeOff 2.1	42		
⁰⁴ SideRack 2.0	44		
⁰⁵ Vitable	46		
⁰⁶ Flower stand module	48		
Pallet displays			
⁰⁷ POSSibility	50		
⁰⁸ Product displays	52		
Folding displays			
⁰⁹ AD 200 / AD 300	54		



Wanzl displays and sales equipment

Continuing a long success story



BLUMENKÖNIG 1970



EUROSTAR 1994



BAKEOFF 3.0 2020

■ **At Wanzl**, we know what people will want tomorrow. As a global market leader for shopping trolleys, we also have the perfect solutions when it comes to displays and sales equipment. We do not think it enough to merely reflect current trends with our innovative retail products: We are always one step ahead of the times with our design and engineering.

■ **Today, Wanzl employs** over 5,000 people at twelve production sites worldwide, working on new business areas and products, on exceptional product designs with a consistently high quality and a vast production depth. The aim: perfectly satisfied customers.

***The world is changing.
Take advantage of it!***

■ **Wanzl products are unique.** Wanzl's specialist expertise, consistency, reliability and innovative solutions and technologies ensure effective work processes along with the competitiveness and business success of its partners.



Quality_MADE BY WANZL

Product quality as a result of process quality



EXPERTISE IN WIRE & TUBING



IN-HOUSE CAD DEVELOPMENT

Production

■ **Wanzl sets the standards for production:** In all areas of production Wanzl's quality policy results in products made from the best materials with first-class craftsmanship and well-finished surfaces. This ensures long, low-maintenance use and investment security.

Quality

■ **Only top manufacturers producing** the very best quality are chosen to supply the 80,000 tonnes of steel processed per year. Because only these materials comply with the requirements for surface quality, strength, weldability and bending properties.

Innovation

■ **Wanzl sets the standards for innovation:** from practical experience – for practical use. Using state-of-the-art production and design technology, we create innovative, future-oriented products – consistently setting new standards for handling and efficiency. This allows us to streamline your processes, guaranteeing you have the best possible equipment for your store in the future too.



Service at any time and in any location

Professional assembly, maintenance, repair, and genuine Wanzl spare parts



EVEN ONCE INSTALLATION HAS BEEN SUCCESSFULLY COMPLETED, Wanzl is still there for you. With our specialist, practical advice, your staff will always be equipped to use our products efficiently and correctly.



SERVICE FROM WANZL MEANS faults are rectified quickly and smoothly.

■ **Assembly, commissioning and training.** Wanzl challenges its products in demanding endurance tests, because technical quality must be correct down to the finest detail. This is also true for assembly. That's why assembly is carried out only by authorised, qualified professional personnel from Wanzl. This ensures compliance with all legal and official regulations. Wanzl also provides support during commissioning and gives your employees professional and practical instruction in how to use the high-quality products efficiently and correctly, so that you benefit from lasting success.

■ **Maintenance and repair.** To maintain the Wanzl quality we recommend regular maintenance of all components. Ongoing maintenance ensures that the value of your assets is preserved. Ask for your own personalised maintenance plan.

■ **Spare parts.** An experienced team of specialists offers you short response times, a professional after-sales service and simple handling of all service requirements – across the board. Tell us what we can do for you and we will be happy to help.

■ **Wanzl Hotline** for virtually every situation at practically any hour. If attempts to resolve the fault over the telephone are unsuccessful, a member of our service team will immediately come out to your premises. There is a service support centre near to you.

www.wanzl.com



01 Tables

02 Shelves and displays

03 Baskets

04 Pallet systems

05 Disposal



01 Product overview

01.01 – 01.04 P system offered items tables



01 PS 12/8



02 P 12/8



03 TA9 TABLE TOP ATTACHMENTS



04 WIRE ATTACHMENTS

01.05 Design 99 offered items tables



05 DESIGN 99

01.06 Presentation systems



06 YOURTABLE


01.07 – 01.11 Promotion tables/baskets



07 PROMOTION TABLES



08 FILLING ATTACHMENT



09 BARGAIN BASKETS/QUICK SELL



10 GVK SALES BASKETS



11 BASKET PRESENTATION STANDS

01 Tables



01.01 PS 12/8 offered items table

Powerful boost at point of sale

- › *Assembled in a flash*
- › *Flexible to use with height-adjustable bottom trays*
- › *Stationary or mobile*



Standard design

Table legs and frame made of square steel tubing. Bottom tray reinforced with flat steel bars and can be attached at different heights. Folding mechanism for space-saving storage of tables.

PS 12/8 offered items table: 1 bottom tray

PS 12/8 Duo offered items table: 1 divider, 2 bottom trays

Finishes and colour variants: on request

Mobile design: 4 swivel castors, castor diameter 75 mm with brakes, internal, attached on bottom frame.

Safe stacking

The locking pins in the folding mechanism prevent slipping during transport with a low lift truck.




Practical

Stationary or mobile offered items tables can be stacked and transported on a low lift truck.



01.01 PS 12/8 offered items table

■ The effective "PS" will help you achieve your goal in record time – whether you need to react quickly at the point of sale or are looking for flexible displays of new products. This is because the "PS" offered items table can be assembled in next to no time without tools and takes up hardly any space when stacked in the warehouse.



Offered items table	PS 12/8	PS 12/8 Duo
	Order no.	Order no.
Stationary	10.47460.XX-XXXX	10.50737.XX-XXXX
Mobile	10.55707.XX-XXXX	10.55713.XX-XXXX
Castors Ø (mm)	75	75
Weight (kg) stationary/mobile	31/32	32/34
Load capacity (kg/lb)	150	150
Accessories*		
Divider 800 x 180 mm	27.52796.XX-XXXX	27.52796.XX-XXXX
Divider 800 x 380 mm	27.01470.XX-XXXX	27.01470.XX-XXXX
Divider 800 x 580 mm	27.03616.XX-XXXX	Standard equipment
Divider 1200 x 180 mm	27.00005.XX-XXXX	-
Divider 1200 x 580 mm	27.13222.XX-XXXX	-
Advertising panel set	21.28485.XX-XXXX	21.28486.XX-XXXX

* For table top attachment and wire attachment accessories, see pages 18-21

01.02 P 12/8 offered items table

The classic design, proven over many years

- › High-quality table systems for a broad spectrum of product quantities
- › Flexible to use with height-adjustable bottom trays
- › Stationary or mobile



P 12/8 DUO
Stationary



P 12/8
mobile

Standard design

Table legs and frame made of square steel tubing. Wire edging with locking mechanism. Bottom tray reinforced with flat steel bars and can be attached at different heights.

P 12/8 offered items table: 1 bottom tray

P 12/8 Duo offered items table: 1 divider, 2 bottom trays

P 12/8 Duo Deep offered items table 1 divider, 2 bottom trays with adjustable bars, 1 folding front grate.

Finishes and colour variants: on request

Mobile design: 4 swivel castors, castor diameter 75 mm with brakes. Internal for Duo Deep, attached on bottom frame.

Stacked


If the P 12/8 Duo Deep offered items tables are not needed, they can be stacked on top of each other to save space.



Transport

Suitable for low lift transport:


Quick and simple transport with or without products.



01.02 P 12/8 offered items table

■ **Sales table with universal application** for many sectors and products.

The height-adjustable bottom trays enable optimum adjustment for different quantities of goods. Available as stationary or mobile version.



Offered items table	P 12/8	P 12/8 Duo	P 12/8 Duo Deep
	Order no.	Order no.	Order no.
Stationary	10.41815.XX-XXXX	10.05650.XX-XXXX	10.45652.XX-XXXX
Mobile	10.02599.XX-XXXX	10.50963.XX-XXXX	10.61360.XX-XXXX
Castors Ø (mm)	75	75	75
Weight (kg) stationary/mobile	27/28	28/29	31/34
Load capacity (kg/lb)	150	150	150
Accessories*			
Divider 800 x 180 mm	27.52796.XX-XXXX	27.52796.XX-XXXX	-
Divider 800 x 380 mm	27.01470.XX-XXXX	Standard equipment	27.01470.XX-XXXX
Divider 1200 x 180 mm	27.00005.XX-XXXX	-	-
Divider 1200 x 580 mm	-	-	27.13222.XX-XXXX
Cover with film pocket suitable for side 1200 mm	-	-	21.28477.XX-XXXX
Cover with film pocket suitable for side 800 mm	-	-	21.28478.XX-XXXX

* For table top attachment and wire attachment accessories, see pages 18-21

01.03 TA9 table top attachments

For P and PS system offered items tables

- › In the customers' field of vision
- › Table top attachments increase your sales potential
- › Goods within easy reach of customers



TA9-800 P TABLE TOP ATTACHMENT
with goods support grid accessory



TA9-440P TABLE TOP ATTACHMENT
with decorative bar accessory


Standard design

Add-on table top attachments with tightly meshed basket. The table top attachments can be folded to save space during storage and transport.

Finishes and colour variants: on request

Space-saving

Collapsible. Folding legs with catch mechanism.




Attachable

The attachments have a tightly narrow-meshed shopping basket and can be easily attached to P system offered items tables.



01.03 TA9 table top attachments

■ **Increase your sales potential with table top attachments** by putting your goods within easy reach of customers. The clever table top attachments fit on all offered items tables from the P and PS systems. Wanzl also supplies matching accessories.



1 GOODS SUPPORT GRID

Accessory for table top attachments. Fixed on basket base with 4 spring clips.

2 DECORATIVE BAR

Accessory for table top attachments, for attachment on end.

TA9-800 P TABLE TOP ATTACHMENT
with divider

Table top attachments	TA9-440 P	TA9-665 P	TA9-800 P
Assembly examples For P and PS system offered items tables	 over 2 tables over 1 table	 over 2 tables over 1 table	 over 2 tables
Sizes (mm)	 with decorative bars	 with goods support grids	 with goods support grids
	Order no.	Order no.	Order no.
	10.99405.XX-XXXX	10.99404.XX-XXXX	10.99403.XX-XXXX
Weight (kg)	6	8	10
Load capacity (kg/lb)	8	14	18
Accessories			
Goods support grid is attached to basket base with folding hooks	–	10.74453.XX-XXXX	10.74453.XX-XXXX
Attachable decorative bar	10.83920.XX-XXXX	10.83920.XX-XXXX	10.83920.XX-XXXX
Divider 235 x 90 mm for table top attachments with goods support grids	–	27.83923.XX-XXXX	–
Divider 300 x 90 mm for table top attachments with goods support grids	–	–	27.83922.XX-XXXX
Divider 410 x 95 mm for table top attachments with or without decorative bars	27.83921.XX-XXXX	–	–
Divider 635 x 95 mm for table top attachments without goods support grids	–	27.83920.XX-XXXX	–
Divider 770 x 95 mm for table top attachments without goods support grids	–	–	27.83919.XX-XXXX

01.04 Wire attachments

For P system offered items tables

- › Sales-boosting and decorative
- › Wire attachments for greater revenue
- › Additional space for goods



WIRE ATTACHMENT 360/460
with divider accessory



WIRE ATTACHMENT 360
with divider accessory


Standard design

Tightly meshed baskets with clever quick attachment. Welded metal rail for self-adhesive scanner ticket strip.

Finishes and colour variants: on request

Stable

The clever quick attachment guarantees non-tip assembly.




Stackability





Each basket can be installed individually or in combination on the P system offered items tables.



01.04 Wire attachments

■ **In the customers' field of vision:** products on sales-boosting and decorative wire attachments in two sizes which provide additional space for goods.



Wire attachment	360	460
Assembly examples	 over 1 table	 over 1 table
Sizes (mm)		
	Order no. 10.43051.XX-XXXX	Order no. 10.43065.XX-XXXX
Weight (kg)	7	9.5
Load capacity (kg/lb)	25	25
Accessories		
Divider 414 x 305 mm	-	27.15256.XX-XXXX
Divider 313 x 155 mm	27.15369.XX-XXXX	-

01.05 Design 99 offered items tables

Sleek and robust

- › Clear design, high-quality craftsmanship
- › Space-saving arrangement or can be extended for storage
- › Stationary or mobile



DESIGN 99 D 12/8
stationary with divider

Similar figures



DESIGN 99 D 6/6
mobile



DESIGN 99 D 6/6
stationary

Standard design

Table legs and frame made of square steel tubing, plastic powder-coated. Wooden table tops with robust Thermopal coating. Wire edging with double wire edges, mesh size 30 mm.

Mobile designs: with reinforcing frame at bottom and 4 swivel castors, incl. 2 with brakes.

Options

All models are available in a stationary or mobile design.



Transport

Suitable for low lift transport: The tables are suitable for quick and simple low lift transport, with or without products.



01.05 Design 99 offered items tables

■ **Clear design, high-quality workmanship:** the Design 99 offered items table. It boasts an impressively sleek look and robust nature. All attention is focused on the products. It is just a matter of setting out the goods and watching the sales roll in.





Table sizes

All Design 99 offered items tables are not just ideal for individual use – they can also be combined in rows as required.



Design 99	D 6/6*	D 8/6*	D 12/6	P 12/8
Dimensions: length x width (mm)	600 x 600	800 x 600	1200 x 600	1200 x 800
	Order no.	Order no.	Order no.	Order no.
Stationary	10.33200.95	10.33202.95	10.33204.95	10.33206.95
Mobile	10.33201.95	10.33203.95	10.33205.95	10.33207.95
Castors Ø (mm)	75	75	75	75
Weight (kg) stationary/mobile	15/19	18/22	22/27	24/30
Load capacity (kg) stationary/mobile	40	50	80	100
Accessories**				
Divider				
Length 600 mm	27.25692.XX-XXXX	27.25692.XX-XXXX	27.25692.XX-XXXX	-
Length 800 mm	-	27.07586.XX-XXXX	-	27.07586.XX-XXXX
Length 1200 mm	-	-	27.04309.XX-XXXX	27.04309.XX-XXXX

* Stationary without bottom frame

** For table top attachment accessories see page 24-25

01.06 YourTable®

Product presentation to boost impulse buying

- > Multifunctional presentation areas
- > Customised colour and finish
- > Boost the urge to buy with product presentation



Creative and multifunctional

YourTable T.01 is the ultimate all-rounder for product presentation. The multitude of accessory elements creates the opportunity for the perfect presentation of your products in every sector. YourTable provides the appropriate look for your products and for your sales area with colours and finishes.



Attractively arranged

The YourTable T.02 presentation system is a master of the art of combination.

There are two sizes which can be perfectly arranged with the complete YourTable range or anywhere in your available space. With YourTable T.02, there is also a wide range of accessories suitable for your requirements.



01.06 YourTable®

■ The multifunctional YourTable presentation system with three different models allows you to set the stage for every product range and to promote sales. All the components and accessories offer versatile usage and combination options. For you this means: more design freedom in your product presentation — with minimal effort.



1 T.01

The ultimate all-round option

2 T.02

Versatile combinations

3 T.03

Attractive sales platform

4 T.03

Individual displays

5 T.04


Individual displays

6 WOOD FINISHES

For all YourTable models. Bramberg spruce also available with water resistance 0375.

7 COLOURS

For table legs and frame made of square steel tubing, plastic powder-coated.



Other colours and finishes available on request.

The stage and the display

YourTable T.03 provides your products with attractive presentation areas. The choice of colour and wood finishes gives the furniture the desired special appearance.

The trestle subconstruction of the T.03 as an individual display unit is the perfect addition to the YourTable T.03 with the matching accessories.



Also fits in niches

YourTable T.04 is the little brother of the T.01. The compact presentation table can be used in confined spaces.



01.07 Promotion tables

Versatile aids – ready for immediate use anywhere

- › *Compact and mobile – ready for immediate use*
- › *Custom printing on request*
- › *For many ranges of goods*



BARGAIN TABLE
mobile



SALES TABLE
mobile

Similar figures

Brakes

To keep the promotion tables in place, the castor wheels are fitted with brakes.



Advertising

For special sales activities, all four sides can be individually designed.



Divider

Standard for sales table and bargain table. Separates the product lines and attachment is variable.



01.07 Promotion tables

■ **Versatile aids** that are ready for immediate use anywhere: promotion tables.
This is pure sales promotion to kick-start trade.



Bargain table

Design: Steel table top, plastic powder-coated in pure white 9010. Integrated plastic corners, all-round sheet metal casing. Wire side sections and 1 divider. 4 swivel castors, incl. 2 with brakes.

Sales table

Design: Sheet metal casing with plastic powder coating in pure white 9010. All-round plastic bumper profile in blue 5090. Table top made of perforated sheet metal, can be adjusted to 5 heights within the casing. Wire side sections and 1 divider. 4 swivel castors, incl. 2 with brakes.

Promotion tables	Bargain table	Sales table
	Order no.	Order no.
Mobile	10.49712.95	12.15481.95
Width x depth x height (mm)	600 x 600 x 850	400 x 550 x 805
Castors Ø (mm)	50	75
Weight (kg)	25	18
Load capacity (kg/lb)	50	50
Accessories		
Divider, additional	27.22110.XX-XXXX	00.69889.XX-XXXX

01.08 Filling attachment

Can be folded to save space

- › For sales-boosting promotional placement
- › Easy to set up and quick to stow away
- › Adjustable bottom tray



FILLING ATTACHMENT
mobile, with an advertising panel



FILLING ATTACHMENT
mobile, without an advertising panel

Brakes

To keep promotion tables and the filling attachment in place, the castor wheels are fitted with brakes.



Advertising panels

For special sales activities, all four advertising panels can be individually designed.



Collapsible

If the filling attachment is not needed, it can be folded to save space.



Bottom tray

To always show off your products to their best advantage, the bottom tray in the filling attachment is height adjustable.



01.08 Filling attachment

■ **Lightweight filling attachment** made of wire with height-adjustable grates. Collapsible for storage and transport to save space.



1 STURDY DESIGN

Made of wire.

2 BOTTOM TRAY

with variable insertion.

3 DESIGN


4 swivel castors with brakes.

4 ADVERTISING PANELS

Customised design.

Standard design

Filling attachment made of wire, height-adjustable bottom tray. Can be folded for storage and transport to save space. 4 swivel castors with brakes.


Filling attachment	
	
Order no.	
Mobile	11.98170.50
Width x depth x height (mm)	650 x 615 x 860
Castors Ø (mm)	75
Weight (kg)	17
Load capacity (kg/lb)	60
Accessories	
Advertising panel set	21.34805.50

01.09 Bargain baskets and Quick Sell


Collapsible promotion baskets

- › *Versatile and practical*
- › *Quick to assemble*
- › *Can be folded to save space*

QUICK SELL
SV 12



QUICK SELL
SV 6



BARGAIN BASKETS
120 litres / 320 litres / 180 litres

Bargain baskets


Design: Lightweight wire sales baskets, bottom tray height-adjustable to 4 positions. Collapsible for storage and transport to save space.

Quick Sell

Design: Robust wire sales baskets with height-adjustable grates. Collapsible for storage and transport to save space.
Finish: on request


Bases

The bargain basket is raised from the floor on sturdy adjustable feet. Can be transported with low lift truck.





Robust construction

Despite the lightweight construction, bargain baskets and the Quick Sell provide outstanding support for your promotional goods.



01.09 Bargain baskets and Quick Sell

■ **When you need to react quickly**, the versatile and practical promotion baskets are ideally positioned – they are quick to assemble and can be folded for quick and compact storage.



Bargain baskets	120 litres	180 litres	320 litres
	Order no.	Order no.	Order no.
	12.03678.XX-XXXX	12.03679.XX-XXXX	12.03680.XX-XXXX
Weight (kg)	7.2	8.3	12.5
Load capacity (kg/lb)	15	20	40
Mesh size (mm)	25 x 150	25 x 150	25 x 150

Quick Sell	SV 6	SV12
	Order no.	Order no.
	12.31115.XX-XXXX	12.25208.XX-XXXX
Weight (kg)	17	27
Load capacity (kg/lb)	20	40
Mesh size (mm)	50 x 50	50 x 50

01.10 GVK sales baskets

The Wanzl classics

- › Ideal for special display locations and promotions
- › Compact and mobile – ready for immediate use
- › Stationary or mobile



GVK 1
with mobile chassis

GVK 2
with stationary chassis

Standard design

Sturdy baskets and grates made of wire.
All wire crossovers are spot-welded.

Finish: on request


No risk of injury

The ends of the wires are wrapped around the edging to prevent injury.




Variable volume

Grates can be hooked in at different heights.




Chassis

Chassis available as mobile or stationary version.



01.10 GVK sales baskets

■ **Wanzl sales baskets** bring your sales to life. with strong promotional placement of your special offers.



GVK shopping baskets	GVK 1	GVK 2
	Order no.	Order no.
Sales baskets with grate	12.03662.XX-XXXX	12.03665.XX-XXXX
Weight	5.2	4.6
Load capacity (kg/lb)	20	20
Accessories		
Chassis, stationary	26.03664.50	26.03667.50
Chassis, mobile, 4 castor wheels, diameter 50 mm	26.03663.50	26.03666.50

01.11 Basket presentation stands

Sales-boosting promotional and special positioning

- › *Appealing presentation*
- › *Easy to assemble and disassemble*
- › *Natural materials*



BASKET PRESENTATION STANDS
Height 450 mm / 650 mm

WICKER BASKET FOR LOOSE GOODS
Height 300 mm

BASKET PRESENTATION STANDS
Height 650 mm

BASKET PRESENTATION STANDS
Height 450 mm

Standard design

Sturdy tube construction, welded. Floor-protecting feet with plastic caps.

Finish: Surface plastic powder-coated Metallic black 7097.

Wicker baskets for loose goods: Woven wicker baskets with handles made from natural materials. For easy insertion into the tubular structure.

Robust construction

Sturdy tube design
in black metallic 7097 coated.



Stylish

Real wicker baskets
– simply insert into the tube structure.




01.11 Basket presentation stands

■ **Fresh fruit and vegetables** make for particularly strong sales when displayed in wicker baskets with basket presentation stands. Special and promotional placement is simple to achieve with these.



Basket presentation stands



Order no.

Height 450 mm

37.03843.73-7097

Height 650 mm

37.03842.73-7097

Weight (kg)

4.5

Load capacity (kg/lb)

10

Accessories

Wicker basket for loose goods
top diameter 500 x bottom diameter 320 x height 300 mm

12.38194.00

02 Product overview

02.01 – 02.06 Fresh produce display units



01 WIRE TECH 100



02 BAKEOFF 3.0



03 BAKEOFF 2.1



04 SIDERACK 2.0



05 VITABLE



06 FLOWER STAND MODULE

02.07 – 02.08 Pallet displays



07 POSSIBILITY



08 PRODUCT DISPLAYS

02.09 Folding displays



09 AD 200/AD 300


02 Shelves and displays



02.01 wire tech 100

Clean lines – simply more sales

- > *The puristic shopfitting solution with outstanding functionality*
- > *Superior hygiene thanks to jointless system design*
- > *Quick assembly and conversion without the need for tools*



WIRE TECH 100
gondola shelf




02.01 wire tech 100

■ The clean, practical design of the wire tech 100 system

deliberately takes a back seat, ensuring the customer focuses on what is really important: your products. This increases product density and underpins the clean and clear overall impression of your shop.

More information on this product is available at www.wanzl.com

WIRE TECH 100
Wall-mounted shelf



For a strong atmosphere

wire tech 100 presents goods with clean lines. The high-quality system provides the perfect basis for shops that are a cut above average: by ensuring an excellent overall experience, ambience, quick orientation and an enticing presentation of goods.

Your advantages with wire tech 100

The sophisticated system design offers crucial advantages, with one major benefit being the hygienic aspect. The jointless system design prevents the accumulation of dirt and makes cleaning a piece of cake. A further advantage is the rapid assembly and conversion without the need for tools, saving you considerable time and money.

Finishes and colour selection

With wire tech 100, the benefits are two-fold. The extensive range of surfaces and colours ensures perfect integration into your design concept. Added to this is the exceptional quality of the coating, which combines a high degree of resistance, ease of cleaning and durability – this is quality_MADE BY WANZL.

Effective combination of materials

wire tech 100 offers a large number of impressive presentation options made from the highest quality materials. The clean and clear wire tech 100 upright can be combined with wire, mesh, sheet metal and wooden back panels and with wire, glass, wooden and sheet metal shelves. And for individual requirements, there is of course always a customized solution with wire tech 100.

02.02 BakeOff® 3.0

Sell bakery products successfully

- > High product presence, resulting in strong sales impact
- > Soft-close system for added comfort and hygiene
- > Can be retrofitted and combined with BakeOff 2.1



BAKEOFF 3.0
the latest generation

Simple and safe to use

Tongs and disposable gloves make sure that the baked goods are removed in a hygienic manner. Every item will end up safely in a paper bag.



Appealing colours and finishes

Body in wood finish

H1146

Bardolino oak grey

S427

Halifax Oak finish

Module colour

7021

Black/grey

02.02 BakeOff® 3.0

■ **With the latest generation of BakeOff 3.0**, we are ensuring that your baked goods are firmly in the spotlight. Products are clearly displayed behind hygienic covers, generating maximum product density.

1



1 BAKED GOODS TOWER, BASIC MODULE

Sales tower for baked goods with open back panel for filling from in front and behind. With glass roof made from single-plate safety glass (ESG). Optional rear panel with wood finish.

2



2 BAKED GOODS SHELF

Design without any internal moving parts. Minimal cleaning effort with maximum transparency.

3 CENTRAL CRUMB COLLECTION TRAY

Removable, central breadcrumb collection tray for cleanliness and hygiene underneath the modules.

4



4 SERVICE LEVEL

Service level perfectly suited to your needs. Choice of units:

5 6 7 8 SERVICE MODULES

Convenient drawer system for disposable gloves and waste box, bags, vacuum cleaner.

9



9 BREAD SLICING MACHINE

Separate tower with identical design for integration of bread slicing machine



Clean and hygienic

Protection for your baked goods is provided by silent hygienic covers.



Easy to stock

Items are filled from either the front or the back, depending on your sales area or processes.



02.03 BakeOff® 2.1

A system for the successful sale of baked goods

- › High product density and maximised filling volume
- › Best ergonomics for customers and shop personnel
- › Modular system offering flexibility for product range design



Modular design

Any number of towers can be put together in a row.

Each baked goods shelf can be divided into 2 or 3 areas of the same size using a glass divider.



Appealing colours and finishes

Body in wood finish

H1146

Bardolino oak grey

S427

Halifax Oak finish

Module colour

7021

Black/grey

02.03 BakeOff® 2.1

■ **With the Wanzl BakeOff 2.1, your range of baked goods** will take centre stage and make your customers hungry for more. The system is highly flexible to accommodate your spatial conditions and processes. The modular design enables a flexible response to changes in a range, with minimal assembly work.



1 BREAD MODULE

Bread of different shapes and sizes can be easily removed.



2 BREAD ROLL MODULE

Design without any internal moving parts. Minimal cleaning effort with maximum transparency.



3 PATISSERIE MODULE FOR SWEET BAKED GOODS

Pastry replenishment is optimised by a special coating.



4 CRUMB TRAY

Removable, central crumb tray for maximum cleanliness beneath the modules. Integrated bumper rail for damage protection.

5 6 7 8 SERVICE MODULES

Convenient drawer system for disposable gloves and waste box, bags, vacuum cleaner.



9 BREAD SLICING MACHINE

Separate tower with identical design for integration of bread slicing machine



BAKEOFF 2.1

Body wood finish Bardolino oak grey

Easy handling

Goods filling is tailored to your available space and can be carried out from the front as well as the back. For daily cleaning, an easily accessible vacuum cleaner is integrated into the service module.



Ideal for self-service!

Customers can remove goods effortlessly with just one hand. The baked goods are taken out with a bakery drawer and placed on the removal tray, then picked up using disposable gloves or bakery tongs.



02.04 SideRack 2.0

For presentation and sale of baked goods

- › *BakeOff enhancement module for the sale of packed, baked goods*
- › *Convenient removal of goods by the customer*
- › *Easy cleaning in just a few steps*



SIDERACK 2.0
basic unit with 2 extension units

Combination with BakeOff 2.0

The SideRack 2.0 sales unit for packed baked goods forms an attractive island in your baked goods area when combined with the BakeOff 2.1 / 3.0 baked goods sales system.

Carefully selected finishes, coatings and materials ensure seamless integration. These give customers an appetite for more. Perfect and hygienic cleaning with just a few steps.



SIDERACK 2.0
Basic unit with extension unit,
combined with BakeOff 2.1 sales system

02.04 SideRack 2.0

■ The SideRack 2.0 extension unit for the BakeOff 2.0/2.1 sales system can be integrated seamlessly into your store, thanks to its modular design.

SideRack 2.0 – suitable for BakeOff 2.1 / 3.0



SIDERACK 2.0
basic unit with extension

1 BASIC UNIT

2 L-profile uprights with adjustable feet, 2 cross connectors, plastic powder coating, base strut and wooden plinth basic unit

2 EXTENSION UNIT

L-profile upright with adjustable feet, 2 cross connectors, plastic powder coating, base strut and wooden plinth extension unit

3 WIRE SHELF

Wire shelf, shelf brackets and front grate with coloured plastic powder coating, scanner rail 40 mm transparent

4 WOODEN SHELF

Shelf brackets and front grate with coloured plastic powder coating, scanner rail 40 mm transparent

5 BASKET

For base shelf, W 580 mm x D 500 mm x H at back 270 mm, H at front 160 mm

6 SIDE PANEL AND REAR PANEL

Wooden rear panel incl. rear panel holders. Wooden side panel incl. side panel holders

Body in wood finish

H1146

Bardolino oak grey



S427

Halifax Oak finish

Module colour

7021

Black/grey



02.05 Vitable®

Vitable® – see the freshness!

- › Ingenious simplicity and flexibility
- › Encourages more impulse buying
- › Outstanding hygiene concept

**NEW: Now with
plinth shelf**



VITABLE
with finish

VITABLE
with plinth shelf


Standard design

With its modular design, the new Vitable offers a variety of configuration options. All Vitable units consist of the same shelf brackets in different depths. The Vitable is available as a gondola or wall unit, with an open or closed body.

In the closed version, the front section is an easy-to-open hygiene flap. All variants feature crate stoppers, which prevent the top fruit and vegetable crates from slipping when the lower section is being filled.


Flexible modular design

The basic Vitable elements are available in various depths and as a single, double or triple shelf system. Just what you need to make best use of your space.



02.05 Vitable®

■ **Whether in a city-centre store or in a large space, as a gondola or wall-mounted shelf:** the basic Vitable elements are available in various depths in bay widths of 1000 mm and 1250 mm and as a single, double or triple shelf system. Just what you need to make best use of your sales area.



Cleaner

Vitable uses a unique and impressive hygiene concept. Any places where fruit juice and debris could collect are easy for staff to reach. The hygienic cover means that this is also true even if the structure is closed.



Finishes

Wanzl offers a wide range of finishes to choose from for your new Vitable. Magnetic films with custom motifs are available for attaching to the hygienic cover and rear panel, with fast delivery and attractive terms.



02.06 Flower stand module

Island display for cut flowers, potted plants and accessories

- > *Modular structure*
- > *Wall or gondola solution*
- > *Mobile, addition and expansion options*



FLOWER STAND END MODULE

90° LEFT

with price display board holder, height-adjustable

Standard design


Sturdy design made of square steel tubing with integrated bucket holders and fold-down display racks for potted plants. Height-adjustable price board holder. Flower stand modules can be linked together with module connection.

Finishes and colour variants: on request

Mobile design: 4 swivel castors, castor diameter 75 mm with brakes.

02.06 Flower stand module

■ **Strong sales of cut flowers, potted plants and accessories.** Other possible uses in exposed areas, for example, for artificial flowers, decorations, seasonal items, etc.



Flower stand	End module 90°, left	Straight module	End module 90°, right
	Order no.	Order no.	Order no.
Mobile	12.92082.XX-XXXX	12.92080.XX-XXXX	12.92081.XX-XXXX
Castors Ø (mm)	75	75	75
Weight (kg)	26	43.5	26
Load capacity (kg) per shelf/total	10/15/50	20/60	10/15/50
Accessories			
Plastic bucket, black, 10 litres	12.20249.07	12.20249.07	12.20249.07

02.07 POSSibility®

The ultimate revenue driver at the point of sale

- › Presenting 1000 possibilities on Wanzl's metal pallet system
- › 5 assembly positions for side panels allow for a host of ground plan variants
- › Space requirement: 1 Euro pallet



POSSIBILITY
Assembled according to
example C with accessories




Standard design

Basic module made of metal pallet and 2 side panels. Metal pallet system made of square tubing, side panels made of round tubing frame with wire grate. Quick to assemble and disassemble, compact storage. Transport by low lift truck is also possible when loaded with products.


Dimensions (mm): W 1200 x D 800 x H 1850 (with crowner H 2150).

Finishes: All elements made of metal, plastic powder-coated in titanium grey 7084.



Side panels

Partitions and wing walls



5 ASSEMBLY POSITIONS
for side panels allow for a
host of ground plan variants.

02.07 POSSibility®


■ POSSibility has been specially designed for impulse buys and promotional placement.

The smart Wanzl metal pallet system in Euro pallet dimensions combined with wire and tubing elements form this extraordinarily versatile sales system.



SIDE PANELS AND CROWNER PANELS


Perfect branding enhances sales in line with your product designs. Printing available on request.




POSSibility Load capacity 500 kg

Basic module

W 1200 x D 800 x H 1850 mm



1 metal pallet / 2 side panels 800



	Order no.
Basic module = 1 metal pallet, 2 side panels 800 1 2	12.11900.73-7084
Version for metal pallets	
Mesh grate pallet insert 3	28.18194.73-7084
Pallet insert, wooden panel, coated grey	12.69609.78-0000
Pallet cover 800, coated metal 4	12.92809.73-7084
Pallet cover 1200, coated metal 5	12.92696.73-7084
Pallet cover 800, white plastic	12.11664.07-0000
Pallet panel 1200, white plastic	12.11663.07-0000
Side panel	
Side panel 800 2	12.69383.73-7084
Partitions 6	
Partition 600, can also be used as a rear panel	12.11645.73-7084
Partition 800, can also be used as a rear panel	12.11646.73-7084
Partition 1000, can also be used as a rear panel	12.11647.73-7084
Partition 1200, can also be used as a rear panel	12.11648.73-7084
Wing walls 7	
Wing wall 200, left	12.11761.73-7084
Wing wall 200, right	12.11760.73-7084
Wing wall 600, left	12.11763.73-7084
Wing wall 600, right	12.11762.73-7084
Wire shelves (assembled between side panels) 8	
Wire shelf 600, single-sided raised edge 40 mm	12.11754.73-7084
Wire shelf 800, single-sided raised edge 40 mm	12.11755.73-7084
Wire shelf 1000, single-sided raised edge 40 mm	12.11756.73-7084
Wire shelf 1200, single-sided raised edge 40 mm	12.11757.73-7084

	Order no.
Wing wire shelves 9	
For wing walls 200, single-sided raised edge 40 mm	12.11658.73-7084
For wing walls 600, single-sided raised edge 40 mm	12.11659.73-7084
Scanner ticket strips, transparent 10	
For wire shelf 600	21.06556.07-9095
For wire shelf 800	21.06557.07-9095
For wire shelf 1000	21.06558.07-9095
For wire shelf 1200	21.06559.07-9095
For wing wire shelves	21.21245.07-9095
Accessories	
Side basket, rectangular 11	12.69496.73-7084
Double blister hook 150 mm 12	24.02375.50-0000
Double blister hook 300 mm	24.02374.50-0000
Divider, inclined, for wire shelves 13	27.02939.73-7084
Divider, inclined, for wing wire shelves 200	27.02940.73-7084
Panel for wing wall, white plastic	12.11662.07-0000
Crowner	
Insertion connector for floor plan A	12.11651.73-7084
Insertion connector for floor plan B 14	12.11653.73-7084
Insertion connector for floor plan C	12.11652.73-7084
Insertion connector for floor plan D	12.11654.73-7084
Crowner 800, white plastic 15	12.11661.07-0000
Crowner 1200, white plastic 16	12.11660.07-0000

For further information please request our detailed brochure. One of our specialists will also be happy to contact you.

02.08 Product displays

Sales equipment for heavy loads with excellent options for variation

- › Enticing displays for food or non-food
- › Can be varied in conjunction with offered items table or Euro pallet
- › Excellent mobility, e.g. with filling in the warehouse



PRODUCT DISPLAY
Single-sided, mobile



PRODUCT DISPLAY
double-sided, mobile

Standard design

Sturdy square tubing construction with folding bottom tray and locking hooks, mobile. 4 Wanzl swivel castors with brakes. Wire shelves with height and angle adjustment with optional edging wires.

Finishes and colour variants: on request


Compact

For storage, the product displays can be stacked to save space. Sales combination with offered items tables or Euro pallets also possible.



02.08 Product displays

■ **Whether as a stand-alone or gondola solution**, the enticing product display reveals its strengths in everyday use. It can take on heavy loads with ease.



1 WIRE SHELVES

Wire shelf with different depths with raised edge for scanner ticket strip. Level or inclined attachment.

2 WIRE EDGING

Add-on wire edging for wire shelves to hold goods securely.

3 BOTTOM TRAY


Bottom tray can be folded out to the rear panel with locking mechanism for secure locking.

4 SWIVEL CASTORS

4 swivel castors, castor diameter 75 mm with brakes for a firm footing.

PRODUCT DISPLAY
double-sided, mobile

Product display Load capacity dynamic 165 kg / static 300 kg / per shelf 38 kg



Basic frame

Incl. bottom tray and rear panel

Order no.

12.57292.XX-XXXX

Accessories

Shelf 300 mm

77.00119.XX-XXXX

Shelf 370 mm

77.00120.XX-XXXX

Shelf 420 mm

77.00118.XX-XXXX

Shelf 470 mm

77.00121.XX-XXXX

Edging for shelf depth 300 mm, 6 units

12.23060.XX-XXXX

Edging for shelf depth 370 mm, 6 units

12.23059.XX-XXXX

Edging for shelf depth 420 mm, 6 units

12.23058.XX-XXXX

Divider for shelf depth 420 mm, 1 unit

27.26898.XX-XXXX


Divider for bottom tray, 1 unit

27.26895.XX-XXXX

02.09 AD 200, AD 300

Promotional displays – the time and space savers

- › Quickly assembled at the point of sale with no need for tools
- › Just as quick to fold for compact storage until the next special offer
- › Flexible and mobile, yet still strong



AD 200 6/4
basic frame with accessories:
4 wire shelves

*Space required
= ¼ or ½
Euro pallets*



AD 300 D
mobile, basic frame with accessories:
3 wire shelves

Design: Solid, yet collapsible wire construction. Variable-use straight or inclined hook-in wire shelves. Easy to move with optional wooden pallet.

Design: Basic frame made of square tube with wire mesh base welded on. Side sections: AD 300 D made of wire, AD 300 R made of square tubing with wire grate. Back section made of wire grate. Can be assembled completely without tools. Adjustable wire shelves.
Stationary: 4 adjustable feet
Mobile: 4 swivel castors, 2 with brakes.

02.09 AD 200, AD 300

■ **The day-to-day needs of retail staff** are well known to Wanzl as a partner to the retail industry. That is why we developed collapsible, space-saving promotional displays for successful product presentation.



AD 200 8/6









AD 200 6/4



AD 300 D



AD 300 R

Promotional displays	AD 200		AD 300	
				
	AD 200 6/4	AD 200 8/6	AD 300 D	AD 300 R
				
	Order no.	Order no.	Order no.	Order no.
Stationary	12.67 236.50-0000	12.50 860.50-0000	06.03 053.50-0000	06.03 054.50-0000
For pallet size (mm)	600 x 400	800 x 600	-	-
Mobile	-	-	06.03 052.50-0000	06.03 055.50-0000
Weight (kg)	10	10	24/26	28/30
Load capacity (kg/lb)	50	50	150	150
Accessories				
Wooden pallet, incl. fixings	77.06 359.95-0000	77.06 358.95-0000	-	-
Wire shelf	12.67 237.50-0000	12.06 133.50-0000	28.01 244.50-0000	28.01 244.50-0000
Divider for wire shelves	27.15 708.50-0000	27.15 595.50-0000	-	-
for top	-	-	-	-
for bottom	-	-	-	-
Top sign, semi-circular				
unprinted, includes fixings	77.06 585.07-9010	77.06 472.07-9010	00.22 219.95-0000	00.22 219.95-0000
Unprinted	-	-	-	-
Top sign holder	-	-	-	-
Blister hook	Double hook	Double hook	Double hook	Double hook
Length 150 mm	24.02 375.50-0000	24.02 375.50-0000	-	-
Length 200 mm	-	-	24.01 018.50-0000	24.01 018.50-0000
Length 250 mm	-	-	-	-
Length 300 mm	24.02 374.50-0000	24.02 374.50-0000	-	-

03 Product overview

03.01 Stacking baskets




01 STP

03.02 Shelf insert baskets



02 SHELF INSERT BASKETS

03.03 Hang-in basket systems



03 L AND S SERIES HANG-IN BASKET SYSTEMS

03 Baskets




03.01 STP stacking baskets

Best-sellers in their millions – wire stacking feet

- › **Extremely resilient foot construction**
- › **High stability**
- › **Easy to stack**




3 STP 812
with attachment basket, mobile chassis,
dividers, ticket strips



3 STP 812
Stationary chassis, dividers,
ticket strips

Stackable with



Standard design

Robust wire construction with 8 mm thick edging wire. Each wire crossover is spot-welded. Reinforced with upright flat steel bars on the basket base, designed for high loads.

Adjustable, easy separation

Easy-to-insert dividers,
variable positioning.



Wire stacking foot

Extremely resilient foot construction with high stability.




03.01 STP stacking baskets


■ **STP stacking baskets in XXL format.** The series is available with either a slanted or straight basket profile. Designed for the sale of bulk goods and loose items. Robust design and high quality construction. Dimensions based on shelf axis measurements and Euro pallet format.










STP 810, STP/N 810, STP/R 810 with attachment basket, mobile chassis, dividers, sloping grates, scanner ticket strips



STP/R 810 colour coating (on request), with stationary chassis, dividers, sloping grates



3 STP 812 with attachment basket, positioned on pallet


STP stacking baskets		
Model STP 610 / shelf axis measurement 650 mm		
620 x 670 x 480 mm	Order no.	07.03193.50
Weight/load capacity (kg)	11.1/100	
Accessories		
Divider	27.03201.50	
Mobile chassis	26.08243.50	
Scanner ticket strip	21.71980.07	
		
Model STP 810 / shelf axis measurement 1000 mm		
970 x 670 x 480 mm	Order no.	07.03194.50
Weight/load capacity (kg)	14.4/100	
Accessories		
Divider	27.03201.50	
Attachment basket	07.03199.50	
Divider for attachment basket	27.22751.50	
Sloping grate, 2x	28.20240.50	
Stationary chassis	26.08374.50	
Mobile chassis	26.08244.50	
Scanner ticket strip	21.71989.07	
		
Model STP/N 810 / shelf axis measurement 1000 mm		
970 x 670 x 390 mm	Order no.	07.03289.50
Weight/load capacity (kg)	12.1/100	
Accessories		
Divider	27.04260.50	
Attachment basket	07.03199.50	
Divider for attachment basket	27.22751.50	
Sloping grate, order 2	28.20240.50	
Stationary chassis	26.08374.50	
Mobile chassis	26.08244.50	
Scanner ticket strip	21.71989.07	
		
Model STP/R 810 / shelf axis measurement 1000 mm		
970 x 670 x 480 mm	Order no.	07.04299.50
Weight/load capacity (kg)	12/100	
Accessories		
Divider	27.04268.50	
Attachment basket	07.03199.50	
Divider for attachment basket	27.22751.50	
Sloping grate, order 2	28.20240.50	
Stationary chassis	26.08374.50	
Mobile chassis	26.08244.50	
Scanner ticket strip	21.71989.07	
		
Model STP 812 / shelf axis measurement 1250 mm*		
1160 x 670 x 480 mm	Order no.	07.03195.50
Weight/load capacity (kg)	16.5/100	
Accessories		
Divider	27.03201.50	
Attachment basket	07.03200.50	
Divider for attachment basket	27.22751.50	
Stationary chassis	26.08376.50	
Mobile chassis	26.08246.50	
Scanner ticket strip	21.71993.07	
		
Model STP/N 812 / shelf axis measurement 1250 mm*		
1160 x 670 x 390 mm	Order no.	07.13162.50
Weight/load capacity (kg)	14.6/100	
Accessories		
Divider	27.04260.50	
Attachment basket	07.03200.50	
Divider for attachment basket	27.22751.50	
Stationary chassis	26.08376.50	
Mobile chassis	26.08246.50	
Scanner ticket strip	21.71993.07	
		
Model STP 813 / shelf axis measurement 1330 mm		
1285 x 670 x 480 mm	Order no.	07.04560.50
Weight/load capacity (kg)	17.4/100	
Accessories		
Divider	27.03201.50	
Stationary chassis	26.08378.50	
Scanner ticket strip	21.71999.07	
		

* Can be positioned on Euro pallet

03.02 Shelf insert baskets

For clear presentation of the product line

- › *Staggered presentation of items with baskets of equal width*
- › *With stacking tabs, up to 8 shelf insert baskets can be stacked on top of one another*
- › *Appealing presentation of all kinds of items*




SHELF INSERT BASKETS
stacked and adjacent,
with scanner ticket strip

Shelf insert baskets

Design: Sturdy wire construction with 25 mm wire spacing.
Stacking tabs made of shatter-proof plastic.

Scanner ticket strip

Integrated scanner ticket strip on the front of the basket.










Shelf insert baskets with stacking tabs

With stacking tabs, up to 8 shelf insert baskets can be stacked on top of one another.










03.02 Shelf insert baskets


■ **Present clearly, sell more.** Shelf insert baskets create tidiness and clarity on the shelves.

Shelf insert baskets				
Basket width (mm)		480	600	620
Basket depth (mm)		Order no.	Order no.	Order no.
	330			
	with stacking tabs	19.03321.10	19.12934.10	19.21168.10
	without stacking tabs	19.03328.10	19.31041.10	19.46380.10
	Weight (kg)	1.8	2.0	2.2
	Divider	27.03343.10	27.03343.10	27.03343.10
	Scanner ticket strip	21.71976.07	21.71982.07	21.71984.07
	380			
	with stacking tabs	19.03322.10	19.31039.10	19.23841.10
	without stacking tabs	19.03329.10	19.31042.10	19.46381.10
	Weight (kg)	2.0	2.2	2.4
	Divider	27.03344.10	27.03344.10	27.03344.10
	Scanner ticket strip	21.71976.07	21.71982.07	21.71984.07
	480			
	with stacking tabs	19.03324.10	19.31040.10	19.03335.10
	without stacking tabs	19.03331.10	19.31044.10	19.03339.10
	Weight (kg)	2.4	2.7	3.0
	Divider	27.03346.10	27.03346.10	27.03346.10
	Scanner ticket strip	21.71976.07	21.71982.07	21.71984.07
	500			
	with stacking tabs	19.04119.10	19.09402.10	19.04131.10
	without stacking tabs	19.04124.10	19.31045.10	19.04137.10
	Weight (kg)	2.8	3.3	3.4
	Divider	27.04129.10	27.04129.10	27.04129.10
	Sloping grate	28.20240.10	-	-
	550			
	with stacking tabs	19.04120.10	19.12864.10	19.04132.10
	without stacking tabs	19.04125.10	19.31046.10	19.04138.10
	Weight (kg)	3.1	3.5	3.7
	Divider	27.04130.10	27.04130.10	27.04130.10
	Sloping grate	28.20240.10	-	-
	600			
	with stacking tabs	19.04121.10	19.09401.10	19.04133.10
	without stacking tabs	19.04126.10	19.31047.10	19.04139.10
	Weight (kg)	3.4	3.8	3.9
	Divider	27.02194.10	27.02194.10	27.02194.10
	Sloping grate	28.20240.07	-	-
	700			
	with stacking tabs	19.02192.10	19.09499.10	19.04134.10
	without stacking tabs	19.02193.10	19.31048.10	19.04140.10
	Weight (kg)	3.8	4.1	4.2
	Divider	27.02195.10	27.02195.10	27.02195.10
	Sloping grate	28.20240.10	-	-
Scanner ticket strip		21.71976.07	21.71982.07	21.71984.07
Load capacity – all basket depths (kg)		40	50	50

Stackable with

	Basket depth 330 mm
	Basket depth 380 mm
	Basket depth 480 mm
	Basket depth 500 mm
	Basket depth 550 mm
	Basket depth 600 mm
	Basket depth 700 mm

Identical baskets with stacking tabs are always stackable. Baskets with a stacking tab and the same width are also stackable in stages.



Wanzl's shelf insert baskets are individual components that can be put together to form a complete stacking system.

There is a choice of baskets in three front widths and different heights and depths. Baskets of identical and different depths can be stacked offset.

03.03 Hang-in basket systems

L series for normal loads, S series for heavy loads

- › *Endless variety of combination options*
- › *Complete freedom to arrange dividers – regardless of the shelf axis measurement*
- › *Optimal use of shelf space, no shelf surfaces required*



HANG-IN BASKET, L SERIES
for normal loads, figure with scanner
ticket strips, load capacity 60 kg



HANG-IN BASKET, S SERIES
for heavy loads,
load capacity 90 kg


Standard design

Sturdy baskets, reinforced on base with upright flat steel bars. Shelf brackets with triple hooks make attachment particularly easy, in horizontal position or inclined at 4.5° or 9°.















































L series with 25 mm wire spacing for normal loads.
S series with 18 mm wire spacing for heavy loads.

Endless and variable

You have complete freedom when it comes to arranging goods on the shelving, as the insertion of dividers is not determined by the shelf axis measurement. The system offers endless and variable combination options.



03.03 Hang-in basket systems


Hang-in basket system, L series			Hang-in basket system, S series		
Shelf axis measurement 665 mm	Order no.		Shelf axis measurement 665 mm	Order no.	
	Shelf depth 370 mm	19.94651.50		Shelf depth 370 mm	19.17250.50
	Divider	27.94667.50		Divider	27.16439.50
	Weight (kg)	3.4		Weight (kg)	4.1
	Shelf depth 470 mm	19.94652.50		Shelf depth 470 mm	19.17251.50
	Divider	27.94668.50		Divider	27.16440.50
	Weight (kg)	4.1		Weight (kg)	4.8
	Shelf depth 570 mm	19.94653.50		Shelf depth 570 mm	19.17258.50
	Divider	27.94669.50		Divider	27.16441.50
	Weight (kg)	4.4		Weight (kg)	6.5
	Shelf depth 670 mm	19.94654.50		Shelf depth 670 mm	19.70616.50
	Divider	27.94670.50		Divider	27.70620.50
	Weight (kg)	5.2		Weight (kg)	7.2
Scanner ticket strip for shelf axis measurement 665 mm:		21.95153.07	Scanner ticket strip for shelf axis measurement 665 mm:		21.71918.07
Shelf axis measurement 1000 mm	Order no.		Shelf axis measurement 1000 mm	Order no.	
	Shelf depth 370 mm	19.94655.50		Shelf depth 370 mm	19.16430.50
	Divider	27.94667.50		Divider	27.16439.50
	Weight (kg)	4.5		Weight (kg)	6.3
	Shelf depth 470 mm	19.94656.50		Shelf depth 470 mm	19.16431.50
	Divider	27.94668.50		Divider	27.16440.50
	Weight (kg)	4.8		Weight (kg)	7.2
	Shelf depth 570 mm*	19.94657.50		Shelf depth 570 mm*	19.17261.50
	Divider	27.94669.50		Divider	27.16441.50
	Weight (kg)	6.6		Weight (kg)	8.4
	Shelf depth 670 mm	19.94658.50		Shelf depth 670 mm	19.70617.50
	Divider	27.94670.50		Divider	27.70620.50
	Weight (kg)	7.0		Weight (kg)	9.0
Scanner ticket strip for shelf axis measurement 1000 mm:		21.95154.07	Scanner ticket strip for shelf axis measurement 1000 mm:		21.71920.07
Shelf axis measurement 1250 mm	Order no.		Shelf axis measurement 1250 mm	Order no.	
	Shelf depth 370 mm	19.94659.50		Shelf depth 370 mm	19.16433.50
	Divider	27.94667.50		Divider	27.16439.50
	Weight (kg)	6.2		Weight (kg)	7.4
	Shelf depth 470 mm	19.94660.50		Shelf depth 470 mm	19.16434.50
	Divider	27.94668.50		Divider	27.16440.50
	Weight (kg)	6.8		Weight (kg)	8.5
	Shelf depth 570 mm*	19.94661.50		Shelf depth 570 mm*	19.17264.50
	Divider	27.94669.50		Divider	27.16441.50
	Weight (kg)	8.1		Weight (kg)	10.2
	Shelf depth 670 mm	19.94662.50		Shelf depth 670 mm	19.70618.50
	Divider	27.94670.50		Divider	27.70620.50
	Weight (kg)	8.4		Weight (kg)	12.4
Scanner ticket strip for shelf axis measurement 1250 mm:		21.95155.07	Scanner ticket strip for shelf axis measurement 1250 mm:		21.71922.07
Shelf axis measurement 1330 mm	Order no.		Shelf axis measurement 1330 mm	Order no.	
	Shelf depth 370 mm	19.94663.50		Shelf depth 370 mm	19.16436.50
	Divider	27.94667.50		Divider	27.16439.50
	Weight (kg)	5.6		Weight (kg)	8.1
	Shelf depth 470 mm	19.94664.50		Shelf depth 470 mm	19.16437.50
	Divider	27.94668.50		Divider	27.16440.50
	Weight (kg)	7.4		Weight (kg)	9.7
	Shelf depth 570 mm*	19.94665.50		Shelf depth 570 mm*	19.17267.50
	Divider	27.94669.50		Divider	27.16441.50
	Weight (kg)	8.3		Weight (kg)	11.5
	Shelf depth 670 mm	19.94666.50		Shelf depth 670 mm	19.70619.50
	Divider	27.94670.50		Divider	27.70620.50
	Weight (kg)	8.8		Weight (kg)	13.2
Scanner ticket strip for shelf axis measurement 1330 mm:		21.95156.07	Scanner ticket strip for shelf axis measurement 1330 mm:		21.71924.07
Load capacity – all shelf axis measurements (kg):		60	Load capacity – all shelf axis measurements (kg):		90

Triple hooks



For tailored product presentation

4 basket depths



Enable staggered unloading

Divider

Divider intervals governed by the wire spacing of series:




L series, 25 mm



S series, 18 mm

The perfect view

The scanner ticket strip, closely fitted and protected against damage.



* Offset baskets for heavy-duty shelves with supports available on request.

04 Product overview

04.01 Pallet boxes



01 PA-X

04.02 Pallet bars



02 PALLET BAR TYPE 1



PALLET BAR TYPE 2


04 Pallet systems



04.01 PA-X pallet boxes

Versatile use with standard Euro pallets measuring 1200 x 800 mm

- > Robust construction
- > Can be stacked with Euro pallets or configured with mobile chassis
- > Can be folded flat to save space



All models can be folded to save space.

PA-X1/S

Locking panel foldable on the long side, delivery without wooden pallet

SAFE HANDLING

Clear information on load capacity and stackability shown directly on the box



Standard design

PA-X/S series: Sturdy pallet boxes in folding or closed design. Secure thanks to stacking corners with large support surface. 2 retaining bars each on the narrow sides. Mesh size 70 x 70 mm. Also available in non-stackable version.

PA-X1/N: As PA-X1/S, but without stacking corners and retaining bar.

Castors: Swivel castors Ø 100 mm, incl. 2 with brakes.

Reliable fixture

Four latching bars on the narrow sides ensure secure fixing on the Euro pallet.



Safe stacking

Stacking corners with wide support surface and high edges prevent the box from slipping.



Divider (optional)

Fits all models with a closed lengthways side. Dimensions 715 x 725 mm. Mesh size 73 x 70 mm.



Intermediate grate (optional)

Fits all models. For variable attachment in 70 mm grid. High load capacity. Mesh size 25 x 125 mm.




04.01 PA-X pallet boxes

■ The PA-X series is suitable for a variety of uses and is highly flexible: it can be closed on all four sides or folded in any direction – anything is possible.

Attachment basket

Fits stackable models with two closed narrow sides.
With scanner ticket strip.
On request.



Dimensions in mm

Maximum load capacity / stackability

PA-X/S pallet boxes			PA-X/S pallet boxes		
Model	Load capacity	Stackability	Model	Load capacity	Stackability
PA-X1/S		max. 4x 1000kg	PA-X5/S		max. 4x 500kg
PA-X2/S		1000kg	PA-X6/S	max. 3x 750kg	500kg
PA-X3/S		1000kg	PA-X7/S		500kg
PA-X4/S	max. 1000kg	0 kg	PA-X8/S	max. 750kg	500kg
PA-X10/S		1000kg	PA-X9/S		500kg
		0 kg			0 kg

Pallet box	PA-X1/S	PA-X2/S	PA-X3/S	PA-X4/S	PA-X5/S	PA-X6/S
Extremely flexible: Folding of side sections depends on design. Pallet not included						
Order no.	06.00002.50	06.00008.50	06.00010.50	06.00011.50	06.00014.50	06.00015.50
Length x width x height (mm)	1215 x 820 x 975	1215 x 820 x 975	1215 x 820 x 975	1215 x 820 x 975	1215 x 820 x 975	1215 x 820 x 975
Volume (litres)	700	700	700	700	700	700
Weight (kg)	29	29	29	29	29	29
Accessories						
Divider 715 x 725 mm	27.58692.50	27.58692.50	27.58692.50	27.58692.50	–	27.58692.50
Intermediate grate 1200 x 735 mm	28.61392.50	28.61392.50	28.61392.50	28.61392.50	28.61392.50	28.61392.50

Pallet box	PA-X7/S	PA-X8/S	PA-X9/S	PA-X10/S	PA-X1/N, mobile
Extremely flexible: Folding of side sections depends on design. Pallet not included					
Order no.	06.00012.50	06.00004.50	06.00013.50	06.00009.50	06.15481.50
Length x width x height (mm)	1215 x 820 x 975	1215 x 820 x 975	1215 x 820 x 975	1215 x 820 x 975	1215 x 820 x 975
Volume (litres)	700	700	700	700	700
Weight (kg)	29	29	29	29	29
Accessories					
Divider 715 x 725 mm	27.58692.50	–	–	27.58692.50	27.58692.50
Intermediate grate 1200 x 735 mm	28.61392.50	28.61392.50	28.61392.50	28.61392.50	28.61392.50

04.02 Pallet bars

Highly robust and easy to use

- > For large-volume goods and high quantities
- > Ideal for promotions, e.g. in end cap position at the ends of shelving
- > Unobstructed access and simple removal

PALLET BAR TYPE 1
Height 820 mm,
hot galvanised

PALLET BAR TYPE 2
Height 995 mm,
plastic powder coating

Supplied without wooden
pallet



Standard design

Round tube frame with two sturdy central bars. Frame and support bracket are welded. Locking bar is angled on the upper tie bar. Retaining profiles for variable assembly on long or short side of the Euro pallet.

Arrangement options



Pallet bars, individual



Pallet bars in a row, lengthways



Pallet bars in a row, sideways

04.02 Pallet bars

■ **Large-volume goods and high quantities** can be transported safely from the production location to the sales area. Ideal for promotions in end cap position at the ends of shelving. Unobstructed access and simple removal of goods are steady factors in success.

Easy to use

The bars are easy to fit. The retaining bars grip underneath the central bar of the pallet.




Safe stacking

The pallet blocks latch securely into the angled locking bar.



Maximum load capacity / stackability

Pallet bar type 1/type 2



Pallet bars		
	Type 1	Type 2
Plastic, powder-coated	Order no. 06.01070.73	Order no. 06.01082.73
Hot galvanised	06.01070.55	06.01082.55
Width (mm)	800	800
Height (mm)	820	995
Weight (1 pair, in kg).	30	32.4
Load capacity (kg)	100	100

05 Product overview

05.01 – 05.02 Disposal stations



01 SERVICE CENTRE



02 SERVICE TABLE

05.03 – 05.05 Disposal containers



03 BOX CONTAINER



04 WASTE TROLLEY



05 DISPOSAL CONTAINER

05 Disposal



05.01 Service centre

Wrapping, unpacking and disposal on 1m²

- > Compact disposal station with multiple uses
- > Very popular with customers
- > Till area and exit always tidy



SERVICE CENTRE
with mobile disposal cart

Equipped to meet your needs

2 wall units 500 mm for rolls of packing paper and gift wrap with diameter of 220 mm



Standard design


Table: Made of square tubing, side and rear panel clad with sheet metal panels, plastic powder-coated in light grey 7035. Table top made of scratch-proof PLATAL steel sheet, coated with plastic film in silver with a raised pattern. 4 slots with coloured plastic surrounds for plastic, cardboard, paper and batteries. Including pictogram stickers.

Disposal carts: High-gloss galvanised mobile frame, with three holders for attaching rubbish bags and battery box. Front panel made of sheet metal, plastic powder-coated in RAL 7035 Light Grey.

Castors: 4 swivel castors, incl. 2 with brakes. Rubber tread.

Functional rear panel: Frame made of square tubing.

Service centre



Service table with accessories

	Order no.
Mobile	10.48816.95
Castors Ø (mm)	75
Weight/load capacity (kg)	88/30
Accessories	Order no.
Multi-roll tape dispenser	10.53223.07
Rubbish bag 150 litres, 100 units	77.86478.00
Wall unit 500 mm, for paper rolls with diameter of 220 mm	10.52771.95
Wall unit 750 mm, for paper rolls with diameter of 220 mm	10.52884.95
Table-mounted tape dispenser, blade on left	10.52997.95
Table-mounted tape dispenser, blade on right	10.53110.95
Adapter sleeve for table-mounted tape dispenser	10.11526.50

Panel made of scratch-proof PLATAL sheet steel, coated with plastic film in silver with a raised pattern.

05.02 Service table

Service table with mobile disposal cart

- > Like the service centre, but without functional rear panel
- > Compact station with excellent handling
- > Extremely easy to use, including for waste disposal staff



SERVICE TABLE
with mobile disposal cart

Mobile disposal cart

With holders for rubbish bags and battery box (BATT-Box).



Multi-roll tape dispenser

for adhesive tape with diameter of 75 mm and width of 50 mm. Supplied without adhesive tape.



Standard design


Table: Made of square tubing, side and rear panel clad with sheet metal panels, plastic powder-coated in light grey 7035. Table top made of scratch-proof PLATAL steel sheet, coated with plastic film in silver with a raised pattern.

4 slots with coloured plastic surrounds for plastic, cardboard, paper and batteries. Including pictogram sticker.

Disposal cart: High-gloss galvanised mobile frame, with holder for attaching rubbish bags and battery box. Front panel made of sheet metal, plastic powder-coated in RAL 7035 Light Grey.

Castors: 4 swivel castors, incl. 2 with brakes. Rubber tread.

Service table



	Order no.
Mobile	10.48929.95
Castors Ø (mm)	75
Weight / load capacity (kg)	73/30
Accessories	Order no.
Multi-roll tape dispenser	10.53223.07
Rubbish bag 150 litres, 100 units	77.86478.00

05.03 Box container

Lightweight design in two sizes, suitable for large volumes of waste

- › *Sturdy tube frame*
- › *Folding front grate*
- › *Can be folded flat to save space*



BOX CONTAINER
with length of 1200 mm



BOX CONTAINER
with length of 1620 mm

Standard design

Length 1200 mm: Sturdy tube frame with wire mesh panelling. Front grate can be folded once.

Length 1620 mm: Sturdy tube frame with wire mesh panelling. Front grate can be folded twice.

Castors: 4 swivel castors, incl. 2 with brakes. Rubber tread.

Can be folded flat to save space

The container is easy to fold and therefore saves space during storage.



Folding front grate

Depending on the container size, the front grate can be folded once or twice and enables easy loading and convenient access to the contents.



05.03 Box container

■ For collection, provision or disposal of boxes, crates and large-volume packing materials.



1 DESIGN

Sturdy tube frame with wire mesh panelling

2 FOLDING

For easy loading.

3 CASTOR WHEELS

4 swivel castors, incl. 2 with brakes. Rubber tread.

2 FOLDS FLAT

Can be folded flat in just a few steps for space-saving storage.

Box container		
Length	1200 mm	1620 mm
Mobile	Order no. 06.22488.50	Order no. 06.24952.50
Length x width x height (mm)	1200 x 800 x 1720	1620 x 1800 x 1020
Mesh size (mm)	145 x 36	145 x 36
Castors Ø (mm)	125	125
Volume (litres)	1200	2300
Weight / load capacity (kg)	40/100	77/200

05.04 Waste trolley

Robust and compact design, versatile use

- › Suitable for holding a wide variety of materials
- › Large capacity with low net weight
- › Very easy to use



WASTE TROLLEY
front grate folded



WASTE TROLLEY
front grate closed

Easy to see

A fastening clip can be used to attach notes or documents to the note holder.



Ergonomic

The front grate can be lifted and folded down for easy loading and unloading.





Standard design

Sturdy wire construction with square tubing frame. Chassis with wire grid base. Front grate can be folded once. Includes 3 note holders.

Castors: 4 Wanzl swivel castors, rubber tread.

Waste trolley



	Order no.
Mobile	06.34579.50
Length x width x height (mm)	1145 x 860 x 1246
Mesh size for base / sides (mm)	78 x 78 / 100 x 31
Castors Ø (mm)	125
Volume (litres)	approx. 900
Weight / load capacity (kg)	40/100

05.05 Disposal container

Robust and proven compact design

- › Durable and reliable element in fully automatic systems
- › Can also be used as individual trolley
- › 4 deflectors act as bumpers



DISPOSAL CONTAINER

Information

A fastening clip can be used to attach notes or documents to the metal plate.



Safe, protective

Deflectors at the corners protect containers and fittings from damage.




Standard design

Sturdy wire construction with square tubing frame. Chassis with wire grid base. Front grate can be folded once. Includes 4 note holders.

Castors: 4 Wanzl swivel castors, rubber tread.

Disposal container



Order no.	
Mobile	06.09600.50
Length x width x height (mm)	1300 x 890 x 1130
Mesh size for base / sides (mm)	78 x 78 / 100 x 31
Castors Ø (mm)	100
Volume (litres)	approx. 800
Weight / load capacity (kg)	46/100
Accessories	
Waste basket, 769 x 320 x 247 mm	06.51529.50

VISIT US AT
www.wanzl.com



GERMANY

Wanzl GmbH & Co. KGaA
Rudolf-Wanzl-Straße 4
89340 Leipheim

Phone +49 (0) 82 21 / 7 29-0
info@wanzl.com
www.wanzl.com

GREAT BRITAIN

Wanzl Ltd.
Europa House
Heathcote Lane
Warwick CV34 6SP

Phone +44 (0) 1926 / 45 19 51
enquiries@wanzl.co.uk
www.wanzl.com

AUSTRALIA

Wanzl Australia Pty Ltd
37A Miles Street
VIC 3170 Mulgrave

Phone +61 (0) 3 / 9808 2299
info.au@wanzl.com
www.wanzl.com