

# Transport trolleys

No load too great!





# Contents

|                                |    |
|--------------------------------|----|
| A SUCCESS STORY .....          | 5  |
| HIGHLIGHTS_MADE BY WANZL ..... | 7  |
| SERVICE .....                  | 9  |
| OVERVIEW .....                 | 10 |

|   |           |   |           |
|---|-----------|---|-----------|
| <b>01 TRANSPORT TROLLEYS .....</b>          | <b>12</b> | <b>02 SPECIAL TRANSPORTERS .....</b>    | <b>36</b> |
| The multifunctional MUC series              |           | The specialist SP series                |           |
| <sup>01</sup> MUC 200 .....                 | 14        | <sup>01</sup> SP2, SP3, SP4 .....       | 38        |
| <sup>02</sup> MUC 300 .....                 | 16        | <sup>02</sup> SP5 .....                 | 40        |
| <sup>03</sup> MUC 400 .....                 | 18        | <sup>03</sup> SP2 M .....               | 42        |
| MUC series ordering section .....           | 20        | SP series ordering section .....        | 44        |
| The robust T series                         |           | Panel transporter                       |           |
| <sup>04</sup> T25 .....                     | 22        | <sup>04</sup> Panel transporter S ..... | 46        |
| <sup>05</sup> T26B .....                    | 24        | <sup>05</sup> Panel transporter L ..... | 48        |
| <sup>06</sup> T31B .....                    | 26        |   |           |
| <sup>07</sup> T40 .....                     | 28        |   |           |
| T series ordering section .....             | 30        |   |           |
| Transport trolley for specific requirements |           |   |           |
| <sup>08</sup> T21 .....                     | 32        |   |           |
| <sup>09</sup> T24 .....                     | 34        |   |           |







# Over 60 years of future.

The start of a never-ending success story.



PICK UP SHOPPING TROLLEY



TRANSPORT TROLLEY T31B



TRANSPORT TROLLEY DESIGN STUDY SPX 200

■ **At Wanzl, we know what** people will want tomorrow. As a world market leader for shopping trolleys, we provide the right answers. Here at Wanzl, we are not satisfied when our innovative self-service products and systems simply conform to the zeitgeist. In terms of design and technology, they are always one step ahead.

■ **Today, Wanzl employs** over 4,500 employees at seven production sites worldwide, working on new business areas and products, on unusual product designs with a consistently high quality and a vast production range. The aim: perfectly satisfied customers.

***The world is changing.  
Take advantage of it!***

■ **Wanzl products are unique.** Wanzl's specialist competence, consistency, reliability, innovative solutions and technologies ensure effective work processes – and thus also the competitiveness and business success of its partners.







# Highlights\_MADE BY WANZL

Innovative products from a single source



IN-HOUSE CASTOR PRODUCTION



IN-HOUSE CAD DEVELOPMENT

## Production

■ **Wanzl sets the standards for production:** in all production processes, Wanzl's quality policy results in products with the best materials, first-class workmanship and well-finished surfaces. This ensures long-term low-maintenance use and investment security.

## Quality

■ **Wanzl sets the standards for quality:** particularly with regard to smooth rolling: the castors are mounted on two maintenance-free ball bearings, have abrasion-proof treads and feature steering forks with ball bearings. As a result, our transport trolleys are quiet, smooth-running and easy to steer.

## Innovation

■ **Wanzl sets the standards for innovation:** from practical experience – for practical use: using cutting-edge production and design technology, we create innovative, forward-looking products and constantly set new standards for handling and effectiveness. In this way we streamline your processes, guaranteeing you have the best possible facilities in the future, too.







# Service, at any time and in any location

## Assembly, maintenance and repair by experts



**ASSEMBLY:** by trained specialists



**MAINTENANCE:** exactly the way you want it



**REPAIR:** fast response times

■ **For decades, Wanzl has provided** global bestsellers with its shopping trolleys that are geared towards the toughest demands of daily use. We measure our service by the same yardstick: whether it is a complete service or our basic offers such as maintenance, repair, cleaning and genuine spare parts, Wanzl's service is always tailored to the individual and of the highest standard. This is a global pledge from the largest international manufacturer of and service provider for shopping trolleys, resulting in Wanzl shopping trolleys providing a perfect cost-benefit ratio throughout the duration of their service life. After all, only the interplay of optimum quality and personalised service can guarantee pole position over the competition whilst simultaneously minimising the total cost of ownership. Keep things rolling: the attractive complete service packages from Wanzl as well as selected individual services provide the coverage required to keep your transport trolleys on the move.

■ **Wanzl hotline** available to you 24 hours a day and for virtually every situation. You can contact our hotline during normal business hours. If attempts to resolve the fault over the telephone are unsuccessful, a member of our service team will immediately come out to your premises. There is also a service support point in close proximity to you.

*Your direct line to us:* [www.wanzl.com](http://www.wanzl.com)







## 01 Transport trolleys

## 02 Special transporters



# 01 Product overview

## 01.01 – 01.03 The multifunctional MUC series transport trolleys



01 MUC 200



02 MUC 300



03 MUC 400

## 01.04 – 01.07 The robust T series transport trolleys



04 T25



05 T26B



06 T31B



07 T40

## 01.08 – 01.09 Transport trolleys for special applications



08 T21



09 T24



# 01 Transport trolleys



# 01.01 Transport trolley MUC® 200

*Ideal for a wide variety of transport tasks in speciality shops*

- › *Sturdy and elegant all-rounder*
- › *Variety of design options*
- › *Suitable for a wide range of sectors – including DIY stores*



## MUC 200

Transport trolley with optional  
5th wheel and Wanzl-Box Solid





## 01.01 Transport trolley MUC® 200

■ It was beverage retailers who first discovered the benefits of the Multi-Cart 200 series for loading and transporting shopping. Nowadays, these transport trolleys, with their specialist accessories and various design options are just as popular in specialist shops with hi-fi equipment, TVs and computers as they are in stores selling car accessories or products for children.



### Standard design

Sturdy oval pipe construction with round tubular handle and plastic handle protection caps. Narrow-meshed basket and non-slip wire platform.

**Finish:** high-gloss galvanised and chrome-plated with baked-on plastic paint protection.

**Castors:** original Wanzl swivel castors, castor wheel Ø 125 mm, rubber tread, with plastic deflector rings at rear as standard.

### Compact

**Low space requirement,** can be nested for storage of the trolleys.



### 3 platforms

**Wire platform** (standard), wooden platform and wooden platform with chequered rubber surface.



# 01.02 Transport trolley MUC® 300

*Specially designed for garden centres and DIY stores*

- › Easy to load
- › Effortless to transport
- › High level of Comfort




**MUC 300**  
Transport trolley with Wanzl-Box  
Classic accessory



## 01.02 Transport trolley MUC® 300

■ **Whatever large and bulky items** need to be moved around DIY stores and garden centres, with the practical and family-friendly Multi-Cart 300 series, customers are equipped to take on any task. With its folding basket and other handy details, the MUC 300 series is a perfect match for your range of goods and convenience requirements.



### Standard design

Sturdy oval pipe construction with round tubular handle and plastic handle protection caps. Folding basket with swivel bearings and plastic noise absorbers, narrow-meshed small item basket and non-slip wire platform.

**Finish:** high-gloss galvanised and chrome-plated with baked-on plastic paint protection.

**Castors:** original Wanzl swivel castors, castor wheel Ø 125 mm, rubber tread, with plastic deflector rings at rear as standard.

### Storage

**Trolleys can be nested** to save space with baskets folded up or horizontal.





# 01.03 Transport trolley MUC® 400

*C+C markets and larger speciality stores trust it*

- › Largest platform in the MUC series
- › Optimum nesting
- › Easy and safe steering



## MUC 400

Transport trolley with  
Wanzl-Box Classic accessory



## 01.03 Transport trolley MUC® 400

■ **The large platform, spacious basket and intelligent detailed solutions** make the Multi-Cart 400 series stand out from the crowd. Cash and carry stores and large specialist stores rely on the sophisticated engineering and well-rounded concept, which make the transport trolleys easy to load, convenient to use and reliable to steer, even with heavy loads.



**1 WANZL-BOX CLASSIC (OPTIONAL)**  
Proven system with coin slide.

**2 BASKET**  
With integrated child seat on request (48 litres). Alternatively: sliding basket (46 litres/82 litres when pulled out) with integrated child seat on request.

**3 WANZL SWIVEL CASTORS**  
Quiet and smooth-running thanks to ball bearings and rubber tread.

**4 WIRE PLATFORM**  
With fitted edging wire to prevent slipping.

### Standard design

Sturdy oval pipe construction with noise attenuating plastic profiles, round tubular handle and plastic handle protection caps. Narrow-meshed basket and non-slip wire platform.

**Finish:** high-gloss galvanised and chrome-plated with baked-on plastic paint protection.

**Castors:** original Wanzl swivel castors, castor wheel Ø 125 mm, rubber tread, with plastic deflector rings at rear as standard.

### Smooth nesting

The **pressure spring** under the platform raises the platform and ensures simple and quiet nesting.



### Compact

**Low space requirement,** can be nested for storage of the trolleys.




























# 01.01– 01.03 MUC® series ordering section

| MUC series   | MUC 200                                 | MUC 300                                 |
|--|---|---|
|  |   |   |
|  | <b>Prod.No.</b>                         | <b>Prod.No.</b>                         |
| High-gloss galvanised and chrome-plated with baked-on plastic paint protection | 05.06115.51                             | 05.21189.51                             |
| Length x width x height (mm)   | 1020 x 600 x 1020                       | 1020 x 600 x 1020                       |
| Platform length x width (mm)   | 850 x 440                               | 850 x 440                               |
| Basket volume (litres)   | 26                                      | 34                                      |
| 4 swivel castors, castor Ø (mm)  | 125                                     | 125                                     |
| Weight / load capacity (kg)  | 24 / 250                                | 23.5 / 250                              |
| Nesting depth per trolley (mm)   | 250                                     | 275                                     |
| Space required for 10 trolleys (mm)  | 3300                                    | 3500                                    |
| Space required for 50 trolleys (mm)  | 13300                                   | 14500                                   |
| Alternatively: chassis   |   |   |
| With foot lever brake  | 00.00484.51                             | 00.09180.51                             |
| Alternatively: platforms   |   |   |
| Wooden platform  | 00.22819.51                             | 00.22819.51                             |
| For travelators: wire platform with anti-slip protection                       | 00.40453.51                             | 00.40758.51                             |
| For travelators: wooden platform with chequered rubber surface                 | 00.40761.51                             | 00.40761.51                             |
| Alternatively: basket  |   |   |
| Basket with child seat (26 litres)   | 00.08059.51                             | -                                       |
| Sliding basket (28-48 litres)  | 00.89287.51                             | -                                       |
| Sliding basket with child seat (28-48 litres)                                  | 00.02395.51                             | -                                       |
| Long basket (46 litres)  | -                                       | 00.35961.51                             |
| Alternatively: castor wheels   |   |   |
| 2 swivel castors at rear, 2 fixed castors at front, Ø 125 mm                   | 60.28929.00                             | 60.28929.00                             |
| For travelators: 4 Wanzl travelator castors, Ø 125 mm                          | On request, depending on the travelator | On request, depending on the travelator |
| 5th castor, rubber tread, Ø 100 mm   | 60.40759.51                             | 60.40759.51                             |
| 4 swivel castors with 1 brake  | 60.41698.00                             | -                                       |
| <b>Accessories</b>   |   |   |
| Advertising handle   | 01.41358.00                             | 01.41358.00                             |
| Promobox Plus  | 01.61130.00                             | 01.61130.00                             |
| Promobox Plus with magnifying glass  | 01.81100.00                             | -                                       |
| Reading magnifier  | 77.00285.95                             | 77.00285.95                             |
| Writing board  | 05.58422.95                             | 05.76045.95                             |
| Flagpole, unprinted flag   | 05.96345.51                             | 05.96345.51                             |
| Slat support   | -                                       | 00.96960.51                             |
| <b>Coin deposit systems</b>  |   |   |
| Wanzl-Box Classic  | 01.75020.01                             | 01.75020.01                             |
| Wanzl Sidebox  | 01.20092.01                             | 01.20092.01                             |
| Wanzl-Box Solid  | 01.94045.01                             | 01.94060.01                             |
| Wanzl coin deposit systems for Promobox Plus                                   | 01.61065.00                             | 01.61070.00                             |
| Wanzl coin deposit systems for Promobox Plus with magnifier                    | 01.81065.00                             | -                                       |



## 01.01 – 01.03 MUC® series ordering section

| MUC series  |  | MUC 400  |
|---|--|--|
|   |  |  |
|   |  | Prod.No.   |
| High-gloss galvanised and chrome-plated with baked-on plastic paint protection      |  | 05.52138.51  |
| Length x width x height (mm)  |  | 1235 x 650 x 1020  |
| Platform length x width (mm)  |  | 1050 x 520   |
| Basket volume (litres)  |  | 48   |
| 4 swivel castors, castor Ø (mm)   |  | 125  |
| Weight / load capacity (kg)   |  | 30 / 250   |
| Nesting depth per trolley (mm)  |  | 350  |
| Space required for 10 trolleys (mm)   |  | 4400   |
| Space required for 50 trolleys (mm)   |  | 18600  |
| Alternatively: chassis  |  |  |
|  | With foot lever brake  | 00.99852.51  |
| Alternatively: platforms  |  |  |
|  | Wooden platform  | 00.97677.51  |
|  | For travelators: wire platform with anti-slip guards           | 00.40287.51  |
|  | For travelators: wooden platform with chequered rubber surface | 77.75389.51  |
| Alternatively: basket   |  |  |
|  | Basket with child seat (48 litres)                             | 00.40365.51  |
|  | Sliding basket (46-82 litres)                                  | 00.40443.51  |
|  | Sliding basket with child seat (46-82 litres)                  | 00.40286.51  |
|  | Small item basket (15 litres)                                  | -  |
| Alternatively: castor wheels  |  |  |
|  | 2 swivel castors at rear, 2 fixed castors at front, Ø 125 mm   | 60.42488.00  |
|  | For travelators: 4 Wanzl travelator castors, Ø 125 mm          | On request, depending on the travelator  |
|  | 5th castor, rubber tread, Ø 100 mm                             | 60.00232.51  |
|  | 4 swivel castors with 1 brake                                  | 60.44974.00  |
| Accessories   |  |  |
|  | Advertising handle   | 01.28024.00  |
|  | Promobox Plus  | 01.61130.00  |
|  | Promobox Plus with magnifying glass                            | 01.81100.00  |
|  | Reading magnifier  | 77.00285.95  |
|  | Writing board  | 05.54354.95  |
|  | Flagpole, unprinted flag                                       | 05.99783.51  |
|  | Slat support   | -  |
| Coin deposit systems  |  |  |
|  | Wanzl-Box Classic  | 01.75035.01  |
|  | Wanzl Sidebox  | 01.20095.01  |
|  | Wanzl-Box Solid  | -  |
|  | Wanzl coin deposit systems for Promobox Plus                   | 01.61080.00  |
|  | Wanzl coin deposit systems for Promobox Plus with magnifier    | 01.81080.00  |

# 01.04 Transport trolley T25

*The small assistant for a wide range of areas*


- › For all types of transport tasks
- › Excellent manoeuvrability
- › Robust design – excellent quality



**T25**  
Transport trolleys  
with Wanzl-Box Solid accessory

## 01.04 Transport trolley T25

■ **This model is a sought-after all-rounder** and is used by our retail partners in many different areas – for shopping at beverage retailers and other speciality departments. Also tried and tested as a transporter in warehousing and production. It performs its tasks everywhere in a totally exemplary way.



### 1 WANZL-BOX SOLID (OPTIONAL)

Proven system with coin slide.

### 2 SMALL ITEM BASKET

Ideal for "last minute" purchases and loose goods (15 litres).

### 3 WANZL SWIVEL CASTORS

Quiet and smooth-running thanks to ball bearings and rubber tread.

### 4 CHASSIS

Frame and bars made of oval tubing. Plastic profiles reduce noise.

### 5 WIRE PLATFORM

All-round edging wire prevents the goods from slipping. The plastic bumper rail protects the trolley and fixtures. Alternatively: wooden platform.

### Standard design

Can be nested to save space. Rack made of oval pipes with noise attenuating plastic profiles. Round tube handle with countersunk screw connection. Non-slip wire platform with double edging wire. Narrow-meshed wire basket.

**Finish:** high-gloss galvanised, chrome-plated and transparent plastic powder coating.

**Castor wheels:** original Wanzl swivel castors, castor wheel Ø 125 mm, rubber tread, with plastic deflector rings at rear as standard.

### Low space requirement

**The platform of one trolley** slides quietly over the plastic bumper rail of another.



### Material and engineering

**The robustness** of the material and the workmanship are outstanding: frame and bars made of oval tubing.





# 01.05 Transport trolley T26B

*Equipped to meet the needs of your customers*

- › For all types of transport tasks
- › Smooth-running castors for excellent manoeuvrability
- › Robust design – excellent quality



## T26B

Transport trolleys  
optionally with wooden platform

## 01.05 Transport trolley T26B

■ **Day-to-day life in retail is hard.** And customers are demanding. You can respond best to both challenges with robust and durable transporters that are easy to move, even when fully loaded. This is what our retail partners value in Wanzl technology.



### 1 HANDLE

Handle holder for comfortable pushing and steering. Handle with custom screen-printed advertising insert in non-fade colours available on request.

### 2 BASKET

Narrow-meshed and robust (30 litres).

### 3 WANZL BONDED-ON CASTORS

Castor wheels Ø 160 mm, rubber tread. 2 fixed castors/2 swivel castors as standard.

### 4 WOODEN PLATFORM (OPTIONAL)

Multi-layer panel with frost-resistant and water-resistant seal and non-slip screen embossing. All-round protection frame made of square tube.

### Standard design

Rack made of flat rolled steel tubing. Handle with plastic handle holders. Non-slip wire platform thanks to fitted edging wire. Plastic elements on the frame and platform to reduce noise. Shopping basket, protected by oval pipe frame.

**Finish:** high-gloss galvanised, chrome-plated and transparent plastic powder coating.

**Castor wheels:** original Wanzl bonded-on castors, 2 fixed castors and 2 swivel castors, castor Ø 160 mm, rubber tread, with plastic deflector rings at rear as standard.

### Track-proven technology

**Chassis with extremely sturdy** single-part frame construction and full welding. Design to take heavy loading.



### Pressure spring

Thanks to pressure springs under the platform, the trolleys can be nested quietly and gently to save space.



# 01.06 Transport trolley T31 B

*The strong solution for large shopping trips*

- › Large load capacity
- › Robust construction for high loads
- › Easy loading thanks to the raised loading platform



**T31 B**  
Transport trolley with optional  
writing board, 5th wheel, safety  
bars and Wanzl Sidebox





## 01.06 Transport trolley T31 B

■ **The load master - robust design.** Best equipped for use in day-to-day retail. For high load capacity and transport volumes yet easy to push.



### 1 WANZL SIDEBOX (OPTIONAL)

Excellent integration. Ergonomically designed high-quality plastic casing with coin deposit via coin slot. Chain with stainless steel key. Pat. pend. / design pend.

### 2 WRITING BOARD (OPTIONAL)

DIN A4, portrait. Made of plastic, with clamping strip and anti-slip protection.

### 3 BASKET

Narrow-meshed and robust (32 litres).

### 4 WANZL BONDED-ON CASTORS

Castor wheels Ø 160 mm, rubber tread. 2 fixed castors/2 swivel castors as standard. Illustration shows 4 swivel castors and 5th wheel.

### 5 5TH CASTOR (OPTIONAL)

Easy steering and rotation. No drifting to the side on inclines (EP 0 352 647 B1) when equipped with 4 swivel castors.

### 6 WIRE PLATFORM

All-round edging wire prevents the goods from slipping. Alternatively: wooden platform.

### Standard design

Rack made of flat rolled steel tubing. Handle with plastic handle holders. Non-slip wire platform. Plastic elements on the frame and wire platform to reduce noise. Shopping basket, protected by oval pipe frame.

**Finish:** high-gloss galvanised, chrome-plated and transparent plastic powder coating.

**Castor wheels:** original Wanzl bonded-on castors, 2 fixed castors and 2 swivel castors, castor Ø 160 mm, rubber tread, with plastic deflector rings at rear as standard.

### Compact

Particularly quiet and gentle nesting thanks to pressure springs.



### Platforms (alternative)

**Wooden platforms or wooden platforms with chequered rubber surface.** Chequered rubber surface prevents the goods from slipping.



# 01.07 Transport trolley T40

*Practical assistance for cash and carry stores*

- › Large platform – high level of comfort
- › For heavy loads and large quantities of goods
- › For increased turnover



**T40**  
Transport trolley with  
optional sliding basket  
and Wanzi Sidebox

## 01.07 Transport trolley T40

■ **The universal transporter with one of the largest platforms** – for heavy loads and large quantities of goods. Fitted with wire or wooden platform. One important convenient feature is the fifth castor wheel, which allows you to steer the T40 easily and turn it on the spot. This makes the trolley run in a stable, straight line regardless of its load.



### 1 WANZL SIDEBOX (OPTIONAL)

With coin deposit via coin slot. Chain with stainless steel key. Pat. pend. / design pend.

### 2 SLIDING BASKET (OPTIONAL)

Narrow-meshed and robust (70 litres/ 108 litres when pulled out).

### 3 WANZL BONDED-ON CASTORS

For high load capacity, greater directional stability and smooth running. Castor Ø 200 mm, rubber tread, with plastic deflector rings at rear.

### 4 5TH CASTOR

Easy steering and rotation. No drifting to the side on inclines. Pat. pend.

### 5 WIRE PLATFORM

Reinforced with upright flat plates and anti-slip protection. Alternatively: wooden platform.

### Standard design

Rack made of oval pipes with safety bars. Handle with plastic handle holders. Wire platform, reinforced with upright flat plates and all-round protection frame made of profiled tubing. Plastic elements and profiles for noise reduction. Narrow-meshed shopping basket, protected by oval pipe frame.

**Finish:** high-gloss galvanised, chrome-plated and transparent plastic powder coating.

**Castor wheels:** Wanzl bonded-on swivel castors, castor Ø 200 mm, rubber tread. 5th Castor, bonded-on, castor Ø 125 mm.

### High loading capacity

**Extremely sturdy frame construction** for high loads over long periods. Cushioning plastic profiles for quiet operation.



### Advertising (optional)

**Always in sight:** the handle with customised advertising insert, screen-printing below transparent plastic sheathing.





















# 01.04 – 01.07 T series ordering section

| T series   | T25                                     | T26B                                    |
|--|---|---|
|  |   |   |
|  | <b>Prod.No.</b>                         | <b>Prod.No.</b>                         |
| High-gloss galvanised, chrome-plated and with transparent plastic powder coating | 05.18570.52                             | 05.23914.52                             |
| Length x width x height (mm)   | 1060 x 550 x 975                        | 1160 x 680 x 975                        |
| Platform length x width (mm)   | 830 x 435                               | 940 x 540                               |
| Basket volume (litres)   | 15                                      | 30                                      |
| Castor wheel Ø (mm)  | 125                                     | 160                                     |
| Weight / load capacity (kg)  | 15 / 250                                | 33 / 500                                |
| Nesting depth per trolley (mm)   | 295                                     | 325                                     |
| Space required for 10 trolleys (mm)  | 3700                                    | 4100                                    |
| Space required for 50 trolleys (mm)  | 15500                                   | 17100                                   |
| Alternatively: platforms   |   |   |
| Wooden platform  | 00.91057.52                             | 00.27461.52                             |
| For travelators: wire platform with anti-slip protection                         | 00.64922.52                             | -                                       |
| For travelators: wooden platform with chequered rubber surface                   | 00.99996.52                             | -                                       |
| Alternatively: basket  |   |   |
| Sliding basket   | -                                       | -                                       |
| Alternatively: castor wheels   |   |   |
| 4 swivel castors, bonded-on rubber tread.  | Standard                                | 60.79213.00                             |
| 2 fixed castors at front, 2 swivel castors at rear, bonded-on tread, Ø 200 mm    | -                                       | -                                       |
| For travelators: 4 Wanzl travelator castors                                      | On request, depending on the travelator | On request, depending on the travelator |
| 5th Castor, rubber tread   | 60.99824.52                             | 60.37403.52                             |
| 1 brake with 4 swivel castors  | 60.35482.00                             | 60.30963.00                             |
| <b>Accessories</b>   |   |   |
| Advertising handle   | 01.05424.00                             | 01.41358.00                             |
| Writing board, DIN A4, plastic with clipboard                                    | 05.58422.95                             | 05.57405.95                             |
| Flagpole, unprinted flag   | 05.23279.52                             | -                                       |
| Imprint on flag  | On request                              | On request                              |
| Coin deposit systems   |   |   |
| Wanzl Sidebox  | 01.20100.01                             | 01.20100.01                             |

## 01.04 – 01.07 T series ordering section

| T series  | T31B   | T40   |
|---|--|---|
|   |  |  |
|   | <b>Prod.No.</b>  | <b>Prod.No.</b>   |
| High-gloss galvanised, chrome-plated and with transparent plastic powder coating  | 05.21685.52  | 05.26834.52   |
| Length x width x height (mm)  | 1420 x 780 x 970   | 1920 x 850 x 1080   |
| Platform length x width (mm)  | 1180 x 650   | 1600 x 700  |
| Basket volume (litres)  | 32   | 70  |
| Castor wheel Ø (mm)   | 160  | 200   |
| Weight / load capacity (kg)   | 41 / 500   | 56 / 500  |
| Nesting depth per trolley (mm)  | 330  | 550   |
| Space required for 10 trolleys (mm)   | 4400   | 6900  |
| Space required for 50 trolleys (mm)   | 17600  | 28900   |
| Alternatively: platforms  |  |   |
|  Wooden platform   | 00.91119.52  | 00.15418.52   |
|  For travelators: wire platform with anti-slip protection                      | 00.82280.52  | -   |
|  Wooden platform with chequered rubber surface                                 | -  | 00.15757.52   |
| Alternatively: basket   |  |   |
|  Sliding basket  | -  | 00.94327.52   |
| Alternatively: castor wheels  |  |   |
|  4 swivel castors, bonded-on rubber tread.                                     | 60.79213.00  | As standard with 5th wheel  |
|  2 fixed castors at front, 2 swivel castors at rear, bonded-on tread, Ø 200 mm | On request   | -   |
|  For travelators: 4 original Wanzl travelator castors, type 5, Ø 160 mm        | On request   | -   |
|  5th Castor, rubber tread, Ø 125 mm  | 60.00791.52  | Standard  |
|  1 brake with 4 swivel castors   | 60.30963.00  | 60.15482.00   |
| <b>Accessories</b>  |  |   |
|  Advertising handle  | 01.62439.00  | 01.56126.00   |
|  Writing board, DIN A4, plastic with clipboard                                 | 05.57405.95  | 05.00860.95   |
|  Flagpole, unprinted flag  | -  | 05.40341.52   |
|  Imprint on flag   | -  | On request  |
| <b>Coin deposit systems</b>   |  |   |
|  Wanzl Sidebox   | 01.20095.01  | 01.20090.01   |

# 01.08 Transport trolley T21

*With folding wire shelf*

- › Excellent quality and robust design
- › Can be nested to save space
- › Hinged wire shelf that can be folded against rear panel.



T21

**Can be nested to save space**

**Space requirement in row**  
 Per transporter 320 mm  
 10 transporters 3890 mm



**Practical**

**Wire shelf can be folded**  
 against rear panel in order  
 to transport higher goods.





## 01.08 Transport trolley T21

■ **Practical companion** for order picking. Suitable shopping trolleys for specialist stores with large areas, primarily for boxed goods.



### 1 PUSH BAR

Made of round pipe.

### 2 WIRE SHELF

Can be folded against rear panel.  
Easy to operate.

### 3 WANZL SWIVEL CASTORS

4 swivel castors, rubber tread.

### 4 WIRE PLATFORMS

Platforms made of wire grate, non-slip.  
Wire shelf at top with double edging wire.

### Standard design

Chassis made of flat oval tubing. Push bar made of round pipe. Sturdy wire platform. Wire shelf can be folded up, with double edging wire. Plastic profiles for noise reduction and gentle nesting.

**Finish:** high-gloss galvanised, chrome-plated and transparent plastic powder coating.

**Castor wheels:** 4 swivel castors, castor Ø 125 mm, rubber tread. With plastic deflector rings at rear as standard.

| T21                                 |                      |                                   |             |
|-------------------------------------|----------------------|-----------------------------------|-------------|
| Prod.No.                            |                      | Accessories                       |             |
| Basic model                         | 05.37968.52          | Set of swivel castors with brakes | 60.45087.00 |
| Length x width x height (mm)        | 880 x 550 x 925/1095 | Wanzl Sidebox coin deposit system | 01.20100.01 |
| Platform length x width (mm)        | 780 x 450            | Uniloc coin deposit system        | 01.80020.01 |
| Castor wheel Ø (mm)                 | 125                  |                                   |             |
| Weight / load capacity (kg)         | 22 / 250             |                                   |             |
| Nesting depth per trolley (mm)      | 300                  |                                   |             |
| Space required for 10 trolleys (mm) | 3600                 |                                   |             |
| Space required for 50 trolleys (mm) | 15600                |                                   |             |

# 01.09 Transport trolley T24

*Popular all-rounder*

- > *Narrow-meshed basket, can be folded against rear panel if necessary*
- > *High level of comfort – excellent quality*
- > *Ideal for stores with office supplies, garden centres and DIY stores*



T24

## Compact

**Can be nested** with basket horizontal or folded.



## Easy transport

**Basket** can be folded against rear panel in an instant in order to transport higher goods.



## 01.09 Transport trolley T24

### ■ This model is used for shopping in a variety of sectors.

For many years, the T 24 has been especially successful in DIY stores and garden centres.



#### 1 ROUND TUBE HANDLE

With advertising insert and plastic sheathing.

#### 2 BASKET

Narrow-meshed, can be folded against rear panel. Easy to operate.

#### 3 WANZL SWIVEL CASTORS

4 swivel castor wheels, rubber tread.

#### 4 WIRE PLATFORM

Platform made of wire grate, non-slip thanks to welded edging wire.

### Standard design

Robust chassis made of wire. Round tube handle with plastic handle protection caps. inclined wire platform for easy nesting. Narrow-meshed basket, can be folded against rear panel if necessary, low-noise storage.

**Finish:** high-gloss galvanised and chrome-plated with baked-on plastic paint protection.

**Castor wheels:** original Wanzl swivel castors, castor Ø 125 mm, rubber tread, with plastic shock-absorbing deflector rings at rear in anthracite grey RAL 7016.

| T24                                    |                  |                                       |             |
|--|------------------|---------------------------------------|-------------|
| Prod.No.                               |                  | Accessories                           |             |
| Basic model                            | 05.62 610.51     | Advertising handle                    | 01.12662.00 |
| Length x width x height (mm)           | 900 x 590 x 1050 | Writing board                         | 05.28190.95 |
| Platform length x width (mm)           | 745 x 460        | Brake                                 | 60.38200.00 |
| Castor Ø (mm) / basket volume (litres) | 125 / 50         | Wanzl-Box Classic coin deposit system | 01.75030.01 |
| Weight / load capacity (kg)            | 28 / 250         |                                       |             |
| Nesting depth per trolley (mm)         | 280              |                                       |             |
| Space required for 10 trolleys (mm)    | 3500             |                                       |             |
| Space required for 50 trolleys (mm)    | 14700            |                                       |             |



## 02 Product overview

### 02.01 – 02.03 The specialist SP series special transporters



01 SP2



SP3



SP4



02 SP5



03 SP2 M

### 02.04 – 02.05 Panel transporters



04 PANEL TRANSPORTER S



05 PANEL TRANSPORTER L

## 02 Special transporters



## 02.01 Special transporters SP2, SP3, SP4

*Transport loads easily and conveniently*

- › Custom trolley design
- › Customer-friendly use
- › For compact storage



### SP2

Special transport trolley with optional Wanzl bonded-on castors, castor Ø 125 mm and Wanzl Sidebox

## 02.01 Special transporters SP2, SP3, SP4

■ **DIY stores – including those with gardening departments** – use SP special transporters wherever bulky goods and heavy components need to be transported conveniently and without great energy input. Whether it be doors or kitchen units, bath tubs or garden furniture – all loads can be transported easily and comfortably. With its robust construction, this all-rounder meets all your transporting needs.

SP2



### 1 ERGONOMIC HANDLE

The new-look plastic handles have been ergonomically enhanced and feature a sloping area that allows fatigue-free positioning of the wrists.

### 2 SIDEBOX COIN DEPOSIT SYSTEM (OPTIONAL)

With user-friendly coin slots. Very slim and fitted on the side of the handle bar in an ergonomically suitable position.

Pat. pend. / design pend.

### 3 ORIGINAL WANZL CASTOR WHEELS

2 fixed castors at front, 2 swivel castors at rear, castor Ø 125 mm, rubber tread as standard.

Optional: Wanzl bonded-on castors, castor Ø 125 mm or 160 mm and 5th wheel with 4 swivel castors Ø 160 mm.

### 4 WOODEN PLATFORM

Sturdy platform with non-slip screen embossing. The veneer plywood is bonded to ensure resistance to frost. Alternatively: wooden platform with chequered rubber surface.

### 5 PLATFORM BARS

Secure transport with the additional bars on the platform.

SP3



SP4



### Standard design

Frame made of flat oval pipes with plastic bumper profile at the front. Bars made of round tubing with interchangeable handles made of shatter-proof plastic. Wooden platform: bonded to ensure resistance to frost and water, all-round protective frame made of square tube.

**Finish:** high-gloss galvanised and chrome-plated with baked-on plastic paint protection.

**Castors:** 2 fixed castors at front, 2 swivel castors at rear, castor Ø 125 mm, rubber tread.

### Quiet

**Cushion roller and rubber absorber** between wooden platform and frame to protect the device and reduce noise.



### Easy to use

**Low loading edge** for quick and easy loading and unloading. Optimised bar inclination for plenty of leg room.





## 02.02 Special transporter SP5

*For shopping in DIY stores*

- › *For particularly heavy loads and large quantities of goods*
- › *Raised platform for easy loading and unloading.*
- › *High level of comfort*



### SP5

Special transport trolley with Wanzl Sidebox accessory.  
Illustration shows optional equipment

## 02.02 Special transporter SP5

■ **Sturdy and manoeuvrable models** for shopping in DIY stores. Perfectly suited to the diverse product range. Available on request with well thought-out additional equipment that your customers will appreciate.



### 1 ERGONOMIC HANDLE

The new-look plastic handles have been ergonomically enhanced and feature a sloping area that allows fatigue-free positioning of the wrists.

### 2 SIDEBOX COIN DEPOSIT SYSTEM (OPTIONAL)

With user-friendly coin slots. Very slim and fitted on the side of the handle bar in an ergonomically suitable position. Pat. pend. / design pend.

### 3 BONDED-ON CASTORS

2 fixed castors at front, 2 swivel castors at rear, castor Ø 160 mm, bonded-on rubber tread.

### 4 BARS

Secure transportation with the additional bars. 2 bars on the side of the platform.

### 5 WOODEN PLATFORM

Raised platform for easy loading and unloading with non-slip screen embossing. The veneer plywood is bonded to ensure resistance to frost.

### Standard design


Frame made of flat oval pipes with plastic bumper profile at the front. Bars made of round tubing with interchangeable handles made of shatter-proof plastic. Wooden platform edged with a protective frame of square tubing.

**Finish:** high-gloss galvanised and chrome-plated with baked-on plastic paint protection.

**Castor wheels:** 2 fixed castors at front, 2 swivel castors at rear, castor Ø 160 mm, bonded-on rubber tread.

### Quiet

**Cushion roller and rubber absorber** between wooden platform and frame to protect the device and reduce noise.



### Platforms

**Robust platform,** resistant to water and frost. Chequered rubber surface available on request, required on trolleys for travelators.



## 02.03 Special transporter SP2 M

*The all-purpose transporter for furniture, accessories and decorative items.*

- › Convenient transport when buying furniture.
- › Excellent manoeuvrability – minimum force
- › For heavy loads and careful transport



### SP2 M

Special transporter  
with Wanzl Sidebox accessory  
and original Wanzl castors

## 02.03 Special transporter SP2 M

■ **Buying take-home furniture saves time and money.** This is something that customers value. They expect easy-to-load transport equipment that they can use to move even the bulkiest bargains from the shelf to the car park with ease. Wanzl has the professional solution to ensure your success here.



### 1 ERGONOMIC HANDLE

The new-look plastic handles have been ergonomically enhanced and feature a sloping area that allows fatigue-free positioning of the wrists.

### 2 SIDEBOX COIN DEPOSIT SYSTEM (OPTIONAL)

With user-friendly coin slots. Very slim and fitted on the side of the handle bar in an ergonomically suitable position.

Pat. pend. / design pend.

### 3 WANZL SWIVEL CASTORS

4 swivel castors, rubber made of polyurethane, with deflector rings at rear to protect trolley and fittings.

### 4 WIRE PLATFORM

Flat, with all-round double wire and skids at the front for effortless nesting.

### Standard design

Frame made of flat oval tubing, round tubing bars with interchangeable handles made of shatter-proof plastic. Flat wire platform with all-round double wire and skids at the front for effortless nesting.

**Finish:** high-gloss galvanised and chrome-plated with baked-on plastic paint protection.

**Castors:** original Wanzl swivel castors with polyurethane tread, castor Ø 125 mm, with deflector rings at rear.

### Well thought-out details

The bumper prevents hand injuries. The handle features a practical bag hook.



### Ergonomic

Manoeuvrable handles and comfortable distance between trolley and legs.
















# 02.01 – 02.03 SP series ordering section

| SP series  | SP2               |                   | SP3               |                   | SP4               |                   |
|--|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
|  |                   |                   |                   |                   |                   |                   |
|  | <b>Prod.No.</b>   | <b>Prod.No.</b>   | <b>Prod.No.</b>   | <b>Prod.No.</b>   | <b>Prod.No.</b>   | <b>Prod.No.</b>   |
| High-gloss galvanised and chrome-plated with baked-on plastic paint protection                           | 05.20456.51       | 05.20458.51       | 05.20457.51       | 05.20459.51       | 05.21273.51       | 05.21274.51       |
| Length x width x height (mm)   | 1060 x 650 x 1100 | 1060 x 650 x 1100 | 1060 x 650 x 1100 | 1060 x 650 x 1100 | 1060 x 650 x 1100 | 1060 x 650 x 1100 |
| Platform length x width (mm)   | 940 x 540         | 940 x 540         | 940 x 540         | 940 x 540         | 950 x 540         | 950 x 540         |
| <b>2 fixed/2 swivel castors, castor Ø (mm)</b>   | <b>125</b>        | <b>160</b>        | <b>125</b>        | <b>160</b>        | <b>125</b>        | <b>160</b>        |
| Weight / load capacity (kg)  | 28 / 250          | 28 / 400          | 31 / 250          | 31 / 400          | 33 / 250          | 33 / 400          |
| Nesting depth per trolley (mm)   | 300               | 300               | 300               | 300               | 300               | 300               |
| Space required for 10 trolleys (mm)  | 3800              | 3800              | 3800              | 3800              | 3800              | 3800              |
| Space required for 50 trolleys (mm)  | 16000             | 16000             | 16000             | 16000             | 16000             | 16000             |
| Stacking depth per trolley with small item basket with child seat (mm)                                   | 360               | 360               | 360               | 360               | 360               | 360               |
| Space required for 10 trolleys with small item basket with child seat (mm)                               | 4310              | 4310              | 4310              | 4310              | 4310              | 4310              |
| Space required for 50 trolleys with small item basket with child seat (mm)                               | 18710             | 18710             | 18710             | 18710             | 18710             | 18710             |
| Alternatively: platforms   |                   |                   |                   |                   |                   |                   |
| Wooden platform  | Standard          | Standard          | Standard          | Standard          | Standard          | Standard          |
| Wooden platform with chequered rubber surface  | 00.90950.51       | 00.90950.51       | 00.22437.51       | 00.22437.51       | 00.23181.51       | 00.23181.51       |
| Wooden platform with 3rd bar   | -                 | -                 | Standard          | Standard          | -                 | -                 |
| For travelators: wooden platform with chequered rubber surface   | -                 | -                 | 00.22437.51       | 00.22437.51       | -                 | -                 |
| For travelators: wooden platform with chequered rubber surface and 3rd bar                               | -                 | -                 | -                 | -                 | -                 | -                 |
| Alternatively: basket  |                   |                   |                   |                   |                   |                   |
| Small item basket with child seat  | 00.76630.51       | 00.76630.51       | 00.76630.51       | 00.76630.51       | -                 | -                 |
| Alternatively: castor wheels   |                   |                   |                   |                   |                   |                   |
| 4 original Wanzl swivel castors  | 60.14577.00       | -                 | 60.14577.00       | -                 | 60.14577.00       | -                 |
| 4 bonded-on swivel castors   | On request        | On request        | On request        | On request        | On request        | On request        |
| For travelators: 4 Wanzl travelator castors, Ø 125 mm/Ø 160 mm   | On request*       | On request*       | On request*       | On request*       | On request*       | On request*       |
| 5th Castor, rubber tread, Ø 125 mm   | -                 | 60.15255.51       | -                 | 60.15255.51       | -                 | 60.15255.51       |
| <b>Accessories</b>   |                   |                   |                   |                   |                   |                   |
| Flagpole with plastic flag, unprinted  | 05.16386.51       | 05.16386.51       | 05.16386.51       | 05.16386.51       | 05.16386.51       | 05.16386.51       |
| Printing on plastic flag   | On request        | On request        | On request        | On request        | On request        | On request        |
| Advertising sign, unprinted, without fixing material   | 00.82926.07       | 00.82926.07       | 00.82926.07       | 00.82926.07       | 00.82926.07       | 00.82926.07       |
| Advertising sign, unprinted, without fixing material for trolleys with small item basket with child seat | 00.82926.07       | 00.82926.07       | 00.82926.07       | 00.82926.07       | -                 | -                 |
| Coin deposit systems   |                   |                   |                   |                   |                   |                   |
| Wanzl Sidebox  | 01.20100.01       | 01.20100.01       | 01.20100.01       | 01.20100.01       | 01.20100.01       | 01.20100.01       |

\* depending on the travelator

## 02.01 – 02.03 SP series ordering section

| SP series  | SP5  | SP2 M   |
|--|--|---|
|  |  |  |
|  | <b>Prod.No.</b>  | <b>Prod.No.</b>   |
| High-gloss galvanised and chrome-plated with baked-on plastic paint protection   | 05.64684.51  | 05.50482.51   |
| Length x width x height (mm)   | 1320 x 780 x 1140  | 1000 x 710 x 1100   |
| Platform length x width (mm)   | 1180 x 650   | 860 x 590   |
| <b>2 fixed/2 swivel castors, castor Ø (mm)</b>   | <b>160</b>   | <b>125</b>  |
| Weight / load capacity (kg)  | 42 / 400   | 21 / 200  |
| Nesting depth per trolley (mm)   | 330  | 280   |
| Space required for 10 trolleys (mm)  | 4300   | 3500  |
| Space required for 50 trolleys (mm)  | 17500  | 14700   |
| Stacking depth per trolley with small item basket with child seat (mm)   | -  | 350   |
| Space required for 10 trolleys with small item basket with child seat (mm)   | -  | 4230  |
| Space required for 50 trolleys with small item basket with child seat (mm)   | -  | 18230   |
| Alternatively: platforms   |  |   |
|  Wooden platform  | Standard   | 00.96529.51   |
| Wooden platform with chequered rubber surface  | 77.19944.52  | 00.96145.51   |
| For travelators: wooden platform with chequered rubber surface   | 77.19944.52  | 00.96145.51   |
| For travelators: wooden platform with chequered rubber surface and 3rd bar   | -  | 00.22890.51   |
| Alternatively: basket  |  |   |
|  Small item basket with child seat                              | -  | 00.76630.51   |
| Alternatively: castor wheels   |  |   |
|  4 original Wanzl swivel castors, Ø 125 mm                      | -  | 60.80344.00   |
|  4 bonded-on swivel castors, Ø 125 mm/Ø 160 mm                  | On request   | -   |
|  For travelators: 4 Wanzl travelator castors, Ø 125 mm/Ø 160 mm | On request*  | On request*   |
|  5th Castor, rubber tread, Ø 125 mm                             | 60.07797.52  | -   |
| <b>Accessories</b>   |  |   |
|  Flagpole with plastic flag, unprinted                          | 05.10509.52  | 05.16386.51   |
| Printing on plastic flag   | On request   | On request  |
|  Advertising sign, unprinted, without fixing material           | 00.90605.07  | 00.82926.07   |
| Advertising sign, unprinted, without fixing material for trolleys with small item basket with child seat   | -  | 00.82926.07   |
| Coin deposit systems   |  |   |
|  Wanzl Sidebox  | 01.20095.01  | 01.20100.01   |

\* depending on the travelator

## 02.04 Panel transporter S

*The secondary trolley for transporting panels*

- > Unique in the world when it comes to compact storage
- > For the safe transport of large panels
- > TÜV-tested



### S PANEL TRANSPORTER

With basket, advertising sign and Wanzl Sidebox accessories



pat. pend.

### Compact

#### Space requirement in row

|             |         |
|-------------|---------|
| Per trolley | 260 mm  |
| 10 trolleys | 3100 mm |



### 2 variants (optional)

**For the convenient purchase** of small items:  
integrated goods shelf or  
integrated shopping  
basket.



## 02.04 Panel transporter S

■ **Exclusively from Wanzl** and unique in the world when it comes to compact storage in the store. TÜV-tested – for safe transport of large panels.



### 1 TUBE CONSTRUCTION

Robust design in excellent quality for heavy loads.

### 2 BASKET (OPTIONAL)

For the convenient purchase of small items. Alternatively: goods shelf.

### 3 WANZL BONDED-ON CASTORS

For high load capacity, greater directional stability and smooth running. 4 swivel castors with ball bearings and rubber tread, 2 with brakes.

### 4 STORAGE SPACE

Inclined, with three support surfaces and two retainer bars for the secure transport of large panels.

### 5 SIDEBOX COIN DEPOSIT SYSTEM (OPTIONAL)

With user-friendly coin slots. Slim design and mounted in an ergonomically suitable position. Pat. pend. / design pend.

### 6 ADVERTISING SIGNS (OPTIONAL)

Unprinted, imprint on request.


### Standard design

Sturdy tube construction with high bar. Three inclined support surfaces with non-slip plastic inserts to protect goods. Two retainer bars.

**Finish:** high-gloss galvanised, chrome-plated and transparent plastic powder coating or coloured plastic powder coating.

**Castor wheels:** Wanzl bonded-on castors, castors Ø 160 mm, rubber tread, 2 of which have brakes.

### S panel transporter



#### Prod.No.

|                                       |                   |
|---------------------------------------|-------------------|
| High-gloss, galvanised, chrome-plated | 05.41923.52       |
| Plastic powder coating                | 05.41923.76       |
| Length x width x height (mm)          | 1360 x 680 x 1380 |
| Castor wheel Ø (mm)                   | 160               |
| Weight / load capacity (kg)           | 27 / 200          |
| Nesting depth per trolley (mm)        | 260               |
| Space required for 10 trolleys (mm)   | 3100              |
| Space required for 50 trolleys (mm)   | 13500             |

#### Accessories


|                                   |             |
|-----------------------------------|-------------|
| Goods shelf                       | 05.43279.52 |
| Basket                            | 05.43166.52 |
| Flagpole with flag, unprinted     | 05.43957.52 |
| Wanzl Sidebox coin deposit system | 01.20100.01 |
| Advertising sign at top           | 05.60456.07 |
| Advertising sign at side          | 05.60569.07 |



## 02.05 Panel transporter L

*For the specialized department in DIY stores*

- > Can be nested to save space
- > Easy and safe manoeuvrability
- > TÜV-tested



### PANEL TRANSPORTER L

With basket, goods shelf, flagpole and Wanzl Sidebox



pat. pend.

### Compact


#### Space requirement in row

|             |         |
|-------------|---------|
| Per trolley | 270 mm  |
| 10 trolleys | 3300 mm |




### Practical (optional)

Integrated goods shelf for the additional purchase of small items. Also available on request with additional basket.



## 02.05 Panel transporter L

■ **Not everything can be transported easily.** Wanzl panel transporters are perfectly tailored solutions that make life easy for customers, turning the transport of any loads into child's play ± be it planks, bars, timber, panels or other bulky goods.




### Standard design

Sturdy tube construction with high load capacity. Three inclined support surfaces with non-slip plastic inserts to protect goods. Two retainer bars.

**Finish:** high-gloss galvanised, chrome-plated and transparent plastic powder coating or coloured plastic powder coating.

**Castor wheels:** 4 Wanzl bonded-on castors, castors Ø 160 mm, rubber tread, 2 of which have brakes.

| Panel transporter L   |                                       |                   |                                   |             |
|---|---------------------------------------|-------------------|-----------------------------------|-------------|
|  | Prod.No.                              |                   | Accessories                       |             |
|   | High-gloss, galvanised, chrome-plated | 05.12204.52       | Goods shelf                       | 00.48990.52 |
|   | Plastic powder coating                | 05.12204.76       | Basket                            | 00.53510.52 |
|   | Length x width x height (mm)          | 1695 x 750 x 1020 | Flagpole with flag, unprinted     | 05.09719.52 |
|   | Castor wheel Ø (mm)                   | 160               | Wanzl Sidebox coin deposit system | 01.20100.01 |
|   | Weight / load capacity (kg)           | 29 / 300          |                                   |             |
|   | Nesting depth per trolley (mm)        | 270               |                                   |             |
|   | Space required for 10 trolleys (mm)   | 3300              |                                   |             |
|   | Space required for 50 trolleys (mm)   | 14100             |                                   |             |

[illegible]

## Notes



VISIT US AT  
[www.wanzl.com](http://www.wanzl.com)



**GERMANY**  
**Wanzl GmbH & Co. KGaA**  
Rudolf-Wanzl-Straße 4  
89340 Leipheim

Phone +49 (0) 82 21 / 7 29-0  
[info@wanzl.com](mailto:info@wanzl.com)  
[www.wanzl.com](http://www.wanzl.com)

**GREAT BRITAIN**  
**Wanzl Ltd.**  
Europa House  
Heathcote Lane  
Warwick CV34 6SP

Phone +44 (0) 1926 / 45 19 51  
[enquiries@wanzl.co.uk](mailto:enquiries@wanzl.co.uk)  
[www.wanzl.com](http://www.wanzl.com)

**AUSTRALIA**  
**Wanzl Australia Pty Ltd**  
3 Haymer Ct,  
Braeside VIC 3195

Phone +61 (0) 3 / 9808 2299  
[info.au@wanzl.com](mailto:info.au@wanzl.com)  
[www.wanzl.com](http://www.wanzl.com)